**HYDRAULIC BRAKE/CLUTCH SYSTEM** 

## MAZDA (CHANG'AN) 3 AXELA 3 AXELA 2.0 SKYACTIV-G AT (2014 AND AFTER)



ENGINE SKYACTIV-G 2.0 Capacity: 4-4,2 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-20	Duranza ECO 5W-20	Avanza MSP 0W-30		
Change every 5000 km/ 6 months				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-20	Duranza ECO 5W-20	Avanza MSP 0W-30		
Change every 2500 km/ 3 months				

TRANSAXLE AUTOMATIC 6/1 Capacity: 7,8 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	

USE		CLIMATE			
Normal		Moderate			
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3			
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3			
Check every 10000 km/ 6 months, change every 40000 km/ 24 months					
USE		CLIMATE			
Severe		climate Moderate			
	PRODUCT RECOMMENDATION 2				
Severe	PRODUCT RECOMMENDATION 2  Drauliquid-S DOT 4	Moderate			

PRODUCT RECOMMENDATION

## MAZDA (CHANG'AN) 3 AXELA 3 AXELA 2.0 SKYACTIV-G AT (2014 AND AFTER)



COOLING SYSTEM Capacity: 6,2 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 40000 km/ 24 months, change every 100000 km/ 60 months				
USE		CLIMATE		
First change only		Moderate		
PRODUCT RECOMMENDATION 1				
Coolant SP 14+				
Check every 40000 km/24 months, change every 200000 km/120 months				

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.