

PORSCHE (CHN) CAYENNE 9PA CAYENNE S 9PA (2007 OG EFTER)



MOTOR

Kapacitet: 8,5 liter, Filterkapacitet: 0,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Specialsynth MSP 5W-40

PRODUKTANBEFALING 2

Helar 0W-40

PRODUKTANBEFALING 3

Emperol 5W-40

Skift alle 10000 km/ 12 måneder

DIFFERENTIALE BAG (4x4)

Kapacitet: 1,4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

Skift alle 240000 km/ 192 måneder

DIFFERENTIALE FOR (4x4)

Kapacitet: 1 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

Skift alle 240000 km/ 192 måneder

GEAR AUTOMATISK 6/1

Kapacitet: 9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

Skift alle 240000 km/ 192 måneder

GEAR MANUEL 6/1

Kapacitet: 1,8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

Skift alle 240000 km/ 192 måneder

PORSCHE (CHN) CAYENNE 9PA CAYENNE S 9PA (2007 OG EFTER)



REDUKTIONSGEARKASSE

Kapacitet: 0,85 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 240000 km/ 192 måneder

SELVSPÆRRENDE DIFFERENTIALE BAG (4x4)

Kapacitet: 1,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 1011	Syngear TDL 75W-90	

Skift alle 240000 km/ 192 måneder

HYDRAULISK BREMSE- & KOBLINGSSYSTEM

Kapacitet: 0,95 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid-LV Super DOT 4		

Skift alle 24 måneder

SERVOSTYRING

Kapacitet: 1,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
SP Fluid 3013		

Kontroller alle 60000 km/ 24 måneder

KØLESYSTEM

Kapacitet: 18-21 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	

Kontroller alle 24 måneder/ 30000 km

PORSCHE (CHN) CAYENNE 9PA CAYENNE S 9PA (2007 OG EFTER)



PDCC (PORSCHE DYNAMIC CHASSIS CONTROL)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 3013

Kontroller alle 48 måneder/ 60000 km

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.