

BARFORD DUMPERE SXR3 HILODA HYDRO (2008 OG EFTER)



MOTOR Kubota V2203-M		
ANVEND Normal		KLIMA Tropisk
PRODUKTANBEFALING 1 Multifleet SCD 30		
Skift alle 500 timer		
ANVEND Normal		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Multifleet SCD 20W-20		
Skift alle 500 timer		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Kroontrak MTH 10W-30	PRODUKTANBEFALING 2 Synfleet SHPD 10W-40	PRODUKTANBEFALING 3 Multifleet SHPD 10W-40
Skift alle 500 timer		
ANVEND Normal		KLIMA Arktisk
PRODUKTANBEFALING 1 Multifleet SCD 10W		
Skift alle 500 timer		
ANVEND Første Service		KLIMA Tropisk
PRODUKTANBEFALING 1 Multifleet SCD 30		
Skift alle 50 timer		
ANVEND Første Service		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Multifleet SCD 20W-20		
Skift alle 50 timer		
ANVEND Første Service		KLIMA Moderat
PRODUKTANBEFALING 1 Kroontrak MTH 10W-30	PRODUKTANBEFALING 2 Synfleet SHPD 10W-40	PRODUKTANBEFALING 3 Multifleet SHPD 10W-40
Skift alle 50 timer		

BARFORD DUMPERE SXR3 HILODA HYDRO (2008 OG EFTER)



ANVEND		KLIMA
Første Service		Arktisk
PRODUKTANBEFALING 1		
Multifleet SCD 10W		
<i>Skift alle 50 timer</i>		

DIFFERENTIALE BAG Kapacitet: 3,5 liter		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	
<i>Skift alle 1000 timer</i>		

DIFFERENTIALE FOR Kapacitet: 3,6 liter		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	
<i>Skift alle 1000 timer</i>		

REDUKTIONSGEARKASSE Kapacitet: 0,57 liter		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	
<i>Skift alle 1000 timer</i>		

HYDRAULISK SYSTEM Kapacitet: 40 liter		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus AF 46	
<i>Skift alle 1000 timer</i>		



BARFORD DUMPERE SXR3 HILODA HYDRO (2008 OG EFTER)



HYDRAULISK BREMSESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Perlus H 15		

SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

KØLESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Coolant -38 Organic NF		

Skift alle 1000 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.