

BELL EQUIPMENT

TREHJULSLÆSSERE/SKOVMASKINER

220C CUMMINS 4BT3.9C



MOTOR Cummins 4BT3.9C

ANVEND	KLIMA
Normalt, svovlniveau i brændstof <0,5 %	Middelhavsagtigt

PRODUKTANBEFALING 1		
Multifleet SCD 30		

Skift alle 250 timer/ 6 måneder

ANVEND	KLIMA
Normalt, svovlniveau i brændstof <0,5 %	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Kroontrak CVT 10W-40	Kroontrak MTH 10W-30	Synfleet SHPD 10W-40

Skift alle 250 timer/ 6 måneder

ANVEND	KLIMA
Normalt, svovlniveau i brændstof <0,5 %	Arktisk

PRODUKTANBEFALING 1		
Multifleet SCD 10W		

Skift alle 250 timer/ 6 måneder

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1		
Multifleet SCD 30		

Skift alle 100 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Kroontrak CVT 10W-40	Kroontrak MTH 10W-30	Synfleet SHPD 10W-40

Skift alle 100 timer

ANVEND	KLIMA
Første Service	Arktisk

PRODUKTANBEFALING 1		
Multifleet SCD 10W		

Skift alle 100 timer

HOVEDDREV

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

BELL EQUIPMENT

TREHJULSLÆSSERE/SKOVMASKINER

220C CUMMINS 4BT3.9C



SLUTDREV

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	
<i>Skift alle 2000 timer</i>		

HYDRAULISK SYSTEM

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 68	Perlus AF 68	
<i>Skift alle 3000 timer</i>		

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus AF 46	
<i>Skift alle 3000 timer</i>		

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 32	Perlus AF 32	
<i>Skift alle 3000 timer</i>		

SMØREPUNKTER/NIPLER HJULLEJER + DRIVANORDNING

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

KØLESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	
<i>Skift alle 2000 timer</i>		

BELL EQUIPMENT

TREHJULSLÆSSERE/SKOVMASKINER

220C CUMMINS 4BT3.9C



The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.