

CASE MINI-GRAVERE CK/CX CK08



MOTOR Kubota		
ANVEND Normal		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Multifleet SHPD 20W-50	PRODUKTANBEFALING 2 Multifleet SCD 40	PRODUKTANBEFALING 3 Multifleet SCD 30
Skift alle 100 timer/ 6 måneder		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Kroontrak CVT 10W-40	PRODUKTANBEFALING 2 Synfleet SHPD 10W-40	PRODUKTANBEFALING 3 Dieselfleet CD+ 15W-40
Skift alle 100 timer/ 6 måneder		
ANVEND Normal		KLIMA Koldt
PRODUKTANBEFALING 1 Kroontrak MTH 10W-30		
Skift alle 100 timer/ 6 måneder		
ANVEND Normal		KLIMA Arktisk
PRODUKTANBEFALING 1 Multifleet SCD 10W		
Skift alle 100 timer/ 6 måneder		
ANVEND Første Service		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Multifleet SHPD 20W-50	PRODUKTANBEFALING 2 Multifleet SCD 40	PRODUKTANBEFALING 3 Multifleet SCD 30
Skift alle 50 timer		
ANVEND Første Service		KLIMA Moderat
PRODUKTANBEFALING 1 Kroontrak CVT 10W-40	PRODUKTANBEFALING 2 Synfleet SHPD 10W-40	PRODUKTANBEFALING 3 Dieselfleet CD+ 15W-40
Skift alle 50 timer		
ANVEND Første Service		KLIMA Koldt
PRODUKTANBEFALING 1 Kroontrak MTH 10W-30		
Skift alle 50 timer		

CASE MINI-GRAVERE CK/CX CK08



ANVEND		KLIMA
Første Service		Arktisk
PRODUKTANBEFALING 1		
Multifleet SCD 10W		
Skift alle 50 timer		

HYDRAULISK SYSTEM		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Perlus H 46		
Skift alle 1000 timer		

SMØREPUNKTER/NIPLER		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

KØREREDUKTIONSENHED		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	
Skift alle 1000 timer		

SPORRULLER + MELLEMHJUL		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

CASE MINI-GRAVERE CK/CX CK08



SVINGREDUKTIONSENHED

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Skift alle 1000 timer

SVINGRING TANDHJUL

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.