

CATERPILLAR ASFALTBELÆGGERE AP/BG AP-1055D A6P



MOTOR C7 Acert
Kapacitet: 23,5 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2
Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 3
Multifleet SHPD 15W-40

Skift alle 250 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Agrisynt LSP 10W-40

PRODUKTANBEFALING 2
Kroontrak CVT 10W-40

PRODUKTANBEFALING 3
Kroontrak MTH 10W-30

Skift alle 250 timer

NAVREDUKTIONER
Kapacitet: 4,3 liter (hvert nav)

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Gear Oil Alcat 50

Skift alle 500 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Abacot MEP HD 220

Skift alle 500 timer

PUMPEDREV HYDROSTATISK OVERFØRING
Kapacitet: 2,8 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Gear Oil Alcat 50

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Abacot MEP HD 220

CATERPILLAR ASFALTBELÆGGERE AP/BG AP-1055D A6P



HYDRAULISK SYSTEM

Kapacitet: 150 liter

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1		
Gear Oil Alcat 30		

Skift alle 1000 timer

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Kroontrak CVT 10W-40	Agridiesel CRD+ 15W-40	Agrifluid HT-Plus

Skift alle 1000 timer

ANVEND		KLIMA
Biologisk nedbrydelig olie		Moderat
PRODUKTANBEFALING 1		
Perlus Biosynth 46		

KØLESYSTEM

Kapacitet: 36 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Coolant SP 17		

Skift alle 12000 timer/ 72 måneder

LARVEBÅNDRULLER

Kapacitet: 160 cm³

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1		
Multifleet SCD 40		

Kontroller alle 500 timer, skift alle 2000 timer

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Multifleet SCD 30		

Kontroller alle 500 timer, skift alle 2000 timer

CATERPILLAR ASFALTBELÆGGERE

AP/BG AP-1055D A6P


REDUKTIONSENHEDER SNEGLESAMLING OG TRANSPORTØR(ER)

Kapacitet: 0,6 liter (hver side)

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

Skift alle 500 timer

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube Racing 75W-140	Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90

Skift alle 500 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.