

CATERPILLAR GAFFELTRUCK, GAS/LP- GAS/BENZIN GC15 MITSUBISHI 4G63 (1992- 1999)



MOTOR (LP-GAS) Mitsubishi 4G63

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Kroontrak MTH 10W-30	Multifleet SHPD 15W-40	

Skift alle 1 måneder/ 200 timer

DIFFERENTIALE OG FINALEDREV FOR

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrifluid HT-Plus	SP Gear 5015	Gearlube GL-4 80W

GEAR Powershift

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
ATF-A		

MOMENTOMFORMER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
ATF Dexron II-D		

Skift alle 6 måneder/ 1200 timer

CATERPILLAR GAFFELTRUCK, GAS/LP- GAS/BENZIN GC15 MITSUBISHI 4G63 (1992- 1999)



HYDRAULISK SYSTEM

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Perlus H 32		

Skift alle 12 måneder/ 2400 timer

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
Perlus H 22		

Skift alle 12 måneder/ 2400 timer

HYDRAULISK BREMSESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Skift alle 12 måneder/ 2400 timer

FEDTSMURTE STEDER/NIPLER CHASSIS

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Gear Grease EP 1		

SMØREPUNKTER/NIPLER HJULLEJER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

CATERPILLAR GAFFELTRUCK, GAS/LP- GAS/BENZIN GC15 MITSUBISHI 4G63 (1992- 1999)



KØREGEAR		
ANVEND Normal		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Gearlube GL-4 80W-90	PRODUKTANBEFALING 2 Unigear HS GL-3/GL-5 80W-90	
<i>Skift alle 6 måneder/ 1200 timer</i>		
ANVEND Normal		KLIMA Arktisk
PRODUKTANBEFALING 1 Agrifluid HT-Plus	PRODUKTANBEFALING 2 SP Gear 5015	PRODUKTANBEFALING 3 Gearlube GL-4 80W
<i>Skift alle 6 måneder/ 1200 timer</i>		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.