

CATERPILLAR GRAVEMASKINER MED LARVEBÅND 211B 6XG (1990-1994)



MOTOR

Kapacitet: 10 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Multifleet SCD 40

PRODUKTANBEFALING 2

Multifleet SCD 30

Skift alle 250 timer/ 1 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Kroontrak MTH 10W-30

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Skift alle 250 timer/ 1 måneder

ANVEND

Normal

KLIMA

Koldt

PRODUKTANBEFALING 1

Multifleet SCD 10W

Skift alle 250 timer/ 1 måneder

SLUTDREV

Kapacitet: 2 liter (hver side)

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

PRODUKTANBEFALING 2

Unigear LS GL-3/GL-5 85W-140

Skift alle 2000 timer/ 12 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

PRODUKTANBEFALING 3

Gearlube GL-5 80W-90

Skift alle 2000 timer/ 12 måneder

ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1

SP Gear 5015

PRODUKTANBEFALING 2

SP Gear 1071

Skift alle 2000 timer/ 12 måneder

CATERPILLAR GRAVEMASKINER MED LARVEBÅND 211B 6XG (1990-1994)



HYDRAULISK SYSTEM

Kapacitet: 125 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gear Oil Alcat 30

Skift alle 2000 timer/ 12 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gear Oil Alcat 10W

Skift alle 2000 timer/ 12 måneder

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

KØLESYSTEM

Kapacitet: 30 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 17

Skift alle 24 måneder/ 3000 timer

CATERPILLAR GRAVEMASKINER MED LARVEBÅND 211B 6XG (1990-1994)


SVINGREDUKTIONSENHED

Kapacitet: 6,7 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1
Gearlube GL-5 85W-140
PRODUKTANBEFALING 2
Unigear LS GL-3/GL-5 85W-140
Skift alle 2000 timer/ 12 måneder
ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1
SP Gear 1011
PRODUKTANBEFALING 2
Syngear TDL 75W-90
PRODUKTANBEFALING 3
Gearlube GL-5 80W-90
Skift alle 2000 timer/ 12 måneder
ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1
SP Gear 5015
PRODUKTANBEFALING 2
SP Gear 1071
Skift alle 2000 timer/ 12 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.