

CATERPILLAR GUMMIHJULSLÆSSERE

918F CATERPILLAR 3114T (1991-1996)



MOTOR 3114T
Kapacitet: 10 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2
Synfleet SHPD 10W-40

PRODUKTANBEFALING 3
Dieselfleet CD+ 15W-40

Skift alle 250 timer

DIFFERENTIALE FOR + BAG
Kapacitet: 21 liter (hvert)

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gear Oil Alcat 30

PRODUKTANBEFALING 2
Gear Oil Alcat 50

Kontroller alle 500 timer, skift alle 2000 timer

ANVEND
Normal

KLIMA
Arktisk

PRODUKTANBEFALING 1
Gear Oil Alcat 10W

Kontroller alle 500 timer, skift alle 2000 timer

GEAR Powershift
Kapacitet: 23 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Gear Oil Alcat 30

PRODUKTANBEFALING 2
Gear Oil Alcat 50

Kontroller alle 500 timer, skift alle 1000 timer

ANVEND
Normal

KLIMA
Koldt

PRODUKTANBEFALING 1
Gear Oil Alcat 10W

Kontroller alle 500 timer, skift alle 1000 timer

CATERPILLAR GUMMIHJULSLÆSSERE

918F CATERPILLAR 3114T (1991-1996)



HYDRAULISK SYSTEM

Kapacitet: 77 liter (Hydrauliksystem inkl. tank), Kapacitet: 53 liter (Hydrauliktank)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Kroontrak MTH 10W-30

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Kontroller alle 500 timer, skift alle 2000 timer

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

SPAND NEDRE PINDE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

SLUTDREV FOR + BAG

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gear Oil Alcat 30

PRODUKTANBEFALING 2

Gear Oil Alcat 50

Kontroller alle 500 timer, skift alle 2000 timer

ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1

Gear Oil Alcat 10W

Kontroller alle 500 timer, skift alle 2000 timer

STIFTE TIL SÆNKNING AF SKOVL SMURT MED OLIE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

CATERPILLAR GUMMIHJULSLÆSSERE

918F CATERPILLAR 3114T (1991-1996)



STYRETØJS GEARENHED

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gear Oil Alcat 30

PRODUKTANBEFALING 2

Gear Oil Alcat 50

ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1

Gear Oil Alcat 10W

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.