

# CATERPILLAR GUMMIHJULSLÆSSERE

## 936F CATERPILLAR 3304 DI-T (1994-1996)



**MOTOR 3304**  
Kapacitet: 22 liter

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**Agridiesel CRD+ 15W-40**

PRODUKTANBEFALING 2  
**Synfleet SHPD 10W-40**

PRODUKTANBEFALING 3  
**Dieselfleet CD+ 15W-40**

*Skift alle 250 timer*

### DIFFERENTIALE FOR + BAG

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**Gear Oil Alcat 30**

PRODUKTANBEFALING 2  
**Gear Oil Alcat 50**

*Kontroller alle 500 timer, skift alle 2000 timer*

ANVEND  
Normal

KLIMA  
Arktisk

PRODUKTANBEFALING 1  
**Gear Oil Alcat 10W**

*Kontroller alle 500 timer, skift alle 2000 timer*

### GEAR Powershift

ANVEND  
Normal

KLIMA  
Middelhavsagtigt

PRODUKTANBEFALING 1  
**Gear Oil Alcat 30**

PRODUKTANBEFALING 2  
**Gear Oil Alcat 50**

*Kontroller alle 500 timer, skift alle 1000 timer*

ANVEND  
Normal

KLIMA  
Koldt

PRODUKTANBEFALING 1  
**Gear Oil Alcat 10W**

*Kontroller alle 500 timer, skift alle 1000 timer*

### HYDRAULISK SYSTEM

ANVEND  
Normal

KLIMA  
Moderat

PRODUKTANBEFALING 1  
**Agridiesel CRD+ 15W-40**

PRODUKTANBEFALING 2  
**Kroontrak MTH 10W-30**

PRODUKTANBEFALING 3  
**Synfleet SHPD 10W-40**

*Kontroller alle 500 timer, skift alle 2000 timer*

# CATERPILLAR GUMMIHJULSLÆSSERE

## 936F CATERPILLAR 3304 DI-T (1994-1996)



### HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Multifleet SCD 10W**

### SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**MoS2 Grease EP 2**

### SPAND NEDRE PINDE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**MoS2 Grease EP 2**

### SLUTDREV FOR + BAG

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gear Oil Alcat 30**

PRODUKTANBEFALING 2

**Gear Oil Alcat 50**

*Kontroller alle 500 timer, skift alle 2000 timer*

ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1

**Gear Oil Alcat 10W**

*Kontroller alle 500 timer, skift alle 2000 timer*

### STIFTE TIL SÆNKNING AF SKOVL SMURT MED OLIE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube GL-5 80W-90**

PRODUKTANBEFALING 2

**Unigear HS GL-3/GL-5 80W-90**

# CATERPILLAR GUMMIHJULSLÆSSERE

## 936F CATERPILLAR 3304 DI-T (1994-1996)



### STYRETØJS GEARENHED

| ANVEND                   |                          | KLIMA   |
|--------------------------|--------------------------|---------|
| Normal                   |                          | Moderat |
| PRODUKTANBEFALING 1      | PRODUKTANBEFALING 2      |         |
| <b>Gear Oil Alcat 30</b> | <b>Gear Oil Alcat 50</b> |         |

| ANVEND                    |  | KLIMA   |
|---------------------------|--|---------|
| Normal                    |  | Arktisk |
| PRODUKTANBEFALING 1       |  |         |
| <b>Gear Oil Alcat 10W</b> |  |         |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.