

CATERPILLAR GUMMIHJULSLÆSSERE 990 II CATERPILLAR 3412 DITA (1999-2005)



MOTOR Caterpillar 3412 DITA

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel CRD+ 15W-40	Synfleet SHPD 10W-40	Dieselfleet CD+ 15W-40
<i>Skift alle 250 timer</i>		

DIFFERENTIALE FOR + BAG

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	
<i>Kontroller alle 500 timer, skift alle 2000 timer</i>		

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		
<i>Kontroller alle 500 timer, skift alle 2000 timer</i>		

GEAR Powershift

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	
<i>Kontroller alle 500 timer, skift alle 1000 timer</i>		

ANVEND		KLIMA
Normal		Koldt
PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		
<i>Kontroller alle 500 timer, skift alle 1000 timer</i>		

HYDRAULISK SYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel CRD+ 15W-40	Kroontrak MTH 10W-30	Synfleet SHPD 10W-40
<i>Kontroller alle 500 timer, skift alle 2000 timer</i>		

CATERPILLAR GUMMIHJULSLÆSSERE 990 II CATERPILLAR 3412 DITA (1999-2005)



SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

SPAND NEDRE PINDE

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

SLUTDREV FOR + BAG

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	

Kontroller alle 500 timer, skift alle 2000 timer

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		

Kontroller alle 500 timer, skift alle 2000 timer

STIFTE TIL SÆNKNING AF SKOVL SMURT MED OLIE

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

CATERPILLAR GUMMIHJULSLÆSSERE 990

II CATERPILLAR 3412 DITA (1999-2005)



STYRETØJS GEARENHED

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	
ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.