

CATERPILLAR GUMMIHJULSLÆSSERE 993K (Z9K) CATERPILLAR C32 ACERT (2012 OG EFTER)



MOTOR C32 Acert
Kapacitet: 120 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 3

Multifleet SHPD 15W-40

Kontroller alle 10 timer, skift alle 3 måneder/ 500 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Agrisynth LSP 10W-40

PRODUKTANBEFALING 2

Multifleet SHPD 10W-40

Kontroller alle 10 timer, skift alle 3 måneder/ 500 timer

ANVEND
Alternativ (acceptabel)

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Multifleet SHPD 15W-40

Kontroller alle 10 timer, skift alle 250 timer/ 3 måneder

ANVEND
Alternativ (acceptabel)

KLIMA
Moderat

PRODUKTANBEFALING 1

Synfleet SHPD 10W-40

PRODUKTANBEFALING 2

Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 3

Multifleet SHPD 10W-40

Kontroller alle 10 timer, skift alle 250 timer/ 3 måneder

DIFFERENTIALE BAG

Kapacitet: 485 liter (+ navreduktioner), Kapacitet: 7 liter (LS-additiv)

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

DIFFERENTIALE FOR

Kapacitet: 475 liter (+ navreduktioner), Kapacitet: 7 liter (LS-additiv)

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

CATERPILLAR GUMMIHJULSLÆSSERE 993K (Z9K) CATERPILLAR C32 ACERT (2012 OG EFTER)



GEAR Powershift
Kapacitet: 170 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Gear Oil Alcat 30

PRODUKTANBEFALING 2
Gear Oil Alcat 50

Kontroller alle 10 timer, skift alle 6 måneder/ 1000 timer

ANVEND
Normal

KLIMA
Koldt

PRODUKTANBEFALING 1
Gear Oil Alcat 10W

Kontroller alle 10 timer, skift alle 6 måneder/ 1000 timer

HYDRAULIKSYSTEM IMPLEMENTERET + VENTILATOR DRIVMOTOR
Kapacitet: 475 liter (Hydrauliktank)

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Gear Oil Alcat 30

Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2
Agrifluid HT-Plus

PRODUKTANBEFALING 3
Kroontrak MTH 10W-30

Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder

ANVEND
Biologisk nedbrydelig olie

KLIMA
Moderat

PRODUKTANBEFALING 1
Perlus Biosynth 46

Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder

SMØREPUNKTER/NIPLER

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
HT Q9 High Grade Grease

PRODUKTANBEFALING 2
Labora Grease

CATERPILLAR GUMMIHJULSLÆSSERE

993K (Z9K) CATERPILLAR C32 ACERT (2012 OG EFTER)

**KØLESYSTEM**

Kapacitet: 296 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 17*Kontroller alle 10 timer, skift alle 72 måneder/ 12000 timer***BAGINDGANG TIL UDLØBSSYSTEM**

Kapacitet: 13,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Almirol*Kontroller alle 1 måneder/ 250 timer, skift alle 24 måneder/ 3000 timer*

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Almirol*Skift alle 500 timer***HYDRAULISK SYSTEM STYRETØJ + BREMSER**

Kapacitet: 185 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gear Oil Alcat 30*Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder*

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Agrifluid HT-Plus

PRODUKTANBEFALING 3

Kroontrak MTH 10W-30*Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder*

ANVEND

Biologisk nedbrydelig olie

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus Biosynth 46*Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the

PRODUKTANBEFALING

CATERPILLAR GUMMIHJULSLÆSSERE 993K (Z9K) CATERPILLAR C32 ACERT (2012 OG EFTER)



information contained herein is subject to changes without notification.