

CATERPILLAR MASKINER TIL SKOVBRUG

322C FM TIER 1 (2001 OG EFTER)



MOTOR 3126B ATAAC
Kapacitet: 34 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Kontroller alle 10 timer, skift alle 1 måneder/ 250 timer

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Kroontrak CVT 10W-40	Kroontrak MTH 10W-30	Asyntho 5W-30

Kontroller alle 10 timer, skift alle 1 måneder/ 250 timer

HYDRAULISK SYSTEM

Kapacitet: 145 liter (Hydrauliktank), Kapacitet: 245 liter (Total)

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gear Oil Alcat 30		

Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 10W	Perlus Biosynth 46	

Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder

HYDRAULISK TIPPESYSTEM FOR KABINEN

Kapacitet: 11,6 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gear Oil Alcat 30		

Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 10W	Perlus Biosynth 46	

Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder

CATERPILLAR MASKINER TIL SKOVBRUG

322C FM TIER 1 (2001 OG EFTER)



SVINGLEJE & TANDSTANGSDREV

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Skift alle 250 timer/ 1 måneder

KØLESYSTEM

Kapacitet: 38 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Coolant SP 17		

Kontroller alle 10 timer, skift alle 72 måneder/ 12000 timer

DREJEGEAR

Kapacitet: 18,9 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Skift alle 2000 timer/ 12 måneder

CATERPILLAR MASKINER TIL SKOVBRUG

322C FM TIER 1 (2001 OG EFTER)



KØREREDUKTIONSENHED

Kapacitet: 5 liter (hvert)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	

Kontroller alle 6 måneder/ 1000 timer, skift alle 12 måneder/ 2000 timer

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		

Kontroller alle 6 måneder/ 1000 timer, skift alle 12 måneder/ 2000 timer

ANVEND		KLIMA
Første Service		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	

Skift alle 250 timer

ANVEND		KLIMA
Første Service		Arktisk
PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		

Skift alle 250 timer



CATERPILLAR MASKINER TIL SKOVBRUG

322C FM TIER 1 (2001 OG EFTER)


SVINGREDUKTIONSENHED

Kapacitet: 8 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	

Kontroller alle 1 måneder/ 250 timer, skift alle 6 måneder/ 1000 timer

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		

Kontroller alle 1 måneder/ 250 timer, skift alle 6 måneder/ 1000 timer

ANVEND		KLIMA
Første Service		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	

Skift alle 250 timer

ANVEND		KLIMA
Første Service		Arktisk
PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		

Skift alle 250 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.