

CATERPILLAR OMLADEMASKINER MED LARVEBÅND 330D MH C5K/PEL (2006 OG EFTER)



MOTOR C9 Acert
Kapacitet: 35,5 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 3

Multifleet SHPD 15W-40

Kontroller alle 10 timer, skift alle 3 måneder/ 500 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Synfleet SHPD 10W-40

PRODUKTANBEFALING 2

Multifleet SHPD 10W-40

Kontroller alle 10 timer, skift alle 3 måneder/ 500 timer

HYDRAULISK SYSTEM

Kapacitet: 194 liter (Efterfyld)

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Gear Oil Alcat 30

Kontroller alle 10 timer, skift alle 1000 timer/ 12 måneder

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Kroontrak CVT 10W-40

PRODUKTANBEFALING 2

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 3

Agrifluid Synth XHP Ultra

Kontroller alle 10 timer, skift alle 1000 timer/ 12 måneder

ANVEND
Vedvarende anvendelse af hammer

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Gear Oil Alcat 30

Kontroller alle 10 timer, skift alle 600 timer

ANVEND
Vedvarende anvendelse af hammer

KLIMA
Moderat

PRODUKTANBEFALING 1

Kroontrak CVT 10W-40

PRODUKTANBEFALING 2

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 3

Agrifluid Synth XHP Ultra

Kontroller alle 10 timer, skift alle 600 timer

CATERPILLAR OMLADEMASKINER MED LARVEBÅND 330D MH C5K/PEL (2006 OG EFTER)



ANVEND		KLIMA
Delvis hammer brug (50%)		Middelhavsagtigt
PRODUKTANBEFALING 1		
Gear Oil Alcat 30		

Kontroller alle 10 timer, skift alle 1000 timer

ANVEND		KLIMA
Delvis hammer brug (50%)		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Kroontrak CVT 10W-40	Agridiesel CRD+ 15W-40	Agrifluid Synth XHP Ultra

Kontroller alle 10 timer, skift alle 1000 timer

KØLESYSTEM		
Kapacitet: 36,5 liter		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Coolant SP 17		

Kontroller alle 10 timer, skift alle 72 måneder/ 12000 timer

DREJEGEAR		
Kapacitet: 29 liter		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Skift alle 1000 timer/ 12 måneder



CATERPILLAR OMLADEMASKINER MED LARVEBÅND 330D MH C5K/PEL (2006 OG EFTER)



KØREREDUKTIONSENHED

Kapacitet: 8 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	

Kontroller alle 1 måneder/ 250 timer, skift alle 12 måneder/ 2000 timer

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		

Kontroller alle 1 måneder/ 250 timer, skift alle 12 måneder/ 2000 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	

Skift alle 250 timer

ANVEND	KLIMA
Første Service	Arktisk

PRODUKTANBEFALING 1		
Gear Oil Alcat 10W		

Skift alle 250 timer



CATERPILLAR OMLADEMASKINER MED LARVEBÅND 330D MH C5K/PEL (2006 OG EFTER)


SVINGREDUKTIONSENHED

Kapacitet: 19 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gear Oil Alcat 30

PRODUKTANBEFALING 2

Gear Oil Alcat 50*Kontroller alle 1 måneder/ 250 timer, skift alle 6 måneder/ 1000 timer*

ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1

Gear Oil Alcat 10W*Kontroller alle 1 måneder/ 250 timer, skift alle 6 måneder/ 1000 timer*

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Gear Oil Alcat 30

PRODUKTANBEFALING 2

Gear Oil Alcat 50*Skift alle 250 timer*

ANVEND

Første Service

KLIMA

Arktisk

PRODUKTANBEFALING 1

Gear Oil Alcat 10W*Skift alle 250 timer*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.