

CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CC24B 421/468 (2013 OG EFTER)



MOTOR C1.5
Kapacitet: 6 liter

ANVEND		KLIMA
Væskeanalyse, foretrukken		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrisynth MSP 10W-40	Agridiesel CRD+ 15W-40	Dieselfleet MSP 15W-40

Kontroller alle 250 timer

ANVEND		KLIMA
Væskeanalyse, foretrukken		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrisynth LSP Ultra 10W-40	Agridiesel MSP 15W-40	Armado Synth LSP Ultra 10W-40

Kontroller alle 250 timer

ANVEND		KLIMA
Alternativ (acceptabel)		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrisynth MSP 10W-40	Agridiesel CRD+ 15W-40	Dieselfleet MSP 15W-40

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

ANVEND		KLIMA
Alternativ (acceptabel)		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrisynth LSP Ultra 10W-40	Agridiesel MSP 15W-40	Armado Synth LSP Ultra 10W-40

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

HYDRAULISK SYSTEM
Kapacitet: 22 liter (Hydrauliktank)

ANVEND		KLIMA
Foretrukket, udvidet		Moderat
PRODUKTANBEFALING 1		
Perlus Biosynth 46		

Kontroller alle 10 timer, skift alle 18 måneder/ 3000 timer

ANVEND		KLIMA
Væskeanalyse, foretrukken		Moderat
PRODUKTANBEFALING 1		
Perlus Biosynth 46		

Kontroller alle 12 måneder/ 500 timer

CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CC24B 421/468 (2013 OG EFTER)



ANVEND		KLIMA
Alternativ (acceptabel)		Middelhavsagtigt
PRODUKTANBEFALING 1		
Gear Oil Alcat 30		

Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder

ANVEND		KLIMA
Alternativ (acceptabel)		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrisynth LSP Ultra 10W-40	Agrisynth MSP 10W-40	Agridiesel MSP 15W-40

Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder

ANVEND		KLIMA
Væskeanalyse, alternativ		Middelhavsagtigt
PRODUKTANBEFALING 1		
Gear Oil Alcat 30		

Kontroller alle 12 måneder/ 500 timer

ANVEND		KLIMA
Væskeanalyse, alternativ		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrisynth LSP Ultra 10W-40	Agrisynth MSP 10W-40	Agridiesel MSP 15W-40

Kontroller alle 12 måneder/ 500 timer

SMØREPUNKTER/NIPLER		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

Kontroller alle 3 måneder/ 250 timer



CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CC24B 421/468 (2013 OG EFTER)



KØLESYSTEM

Kapacitet: 10,5 liter

ANVEND

Væskeanalyse, foretrukken

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 17

Kontroller alle 12 måneder, skift alle 72 måneder/ 12000 timer

ANVEND

Væskeanalyse, indledende (foretrukket)

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 17

Kontroller alle 500 timer

ANVEND

Væskeanalyse, alternativ

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

Kontroller alle 3 måneder/ 500 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.