

CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CC34B 324/471 (2013 OG EFTER)



MOTOR C2.2

Kapacitet: 10,6 liter

ANVEND

Foretrukne

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Agrisynth MSP 10W-40

PRODUKTANBEFALING 2

Dieselfleet MSP 15W-40

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

ANVEND

Foretrukne

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrisynth LSP Ultra 10W-40

PRODUKTANBEFALING 2

Agridiesel MSP 15W-40

PRODUKTANBEFALING 3

Armado Synth LSP Ultra 10W-40

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

ANVEND

Væskeanalyse, foretrukken

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Agrisynth MSP 10W-40

PRODUKTANBEFALING 2

Dieselfleet MSP 15W-40

Kontroller alle 250 timer

ANVEND

Væskeanalyse, foretrukken

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrisynth LSP Ultra 10W-40

PRODUKTANBEFALING 2

Agridiesel MSP 15W-40

PRODUKTANBEFALING 3

Armado Synth LSP Ultra 10W-40

Kontroller alle 250 timer

ANVEND

Alternativ (acceptabel)

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Agridiesel MSP 15W-40

PRODUKTANBEFALING 2

Dieselfleet MSP 15W-40

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

ANVEND

Alternativ (acceptabel)

KLIMA

Moderat

PRODUKTANBEFALING 1

Armado Synth MSP 5W-40

PRODUKTANBEFALING 2

Dieselfleet LSP Ultra 10W-30

PRODUKTANBEFALING 3

Dieselfleet MSP 10W-30

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

ANVEND

Væskeanalyse, alternativ

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Agridiesel MSP 15W-40

PRODUKTANBEFALING 2

Dieselfleet MSP 15W-40

Kontroller alle 250 timer

CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CC34B 324/471 (2013 OG EFTER)



ANVEND		KLIMA
Væskeanalyse, alternativ		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Armado Synth MSP 5W-40	Dieselfleet LSP Ultra 10W-30	Dieselfleet MSP 10W-30
<i>Kontroller alle 250 timer</i>		

HYDRAULISK SYSTEM		
Kapacitet: 22 liter (Hydrauliktank)		
ANVEND		KLIMA
Foretrukket, udvidet		Moderat
PRODUKTANBEFALING 1		
Perlus Biosynth 46		
<i>Kontroller alle 10 timer, skift alle 18 måneder/ 3000 timer</i>		

ANVEND		KLIMA
Væskeanalyse, foretrukken		Moderat
PRODUKTANBEFALING 1		
Perlus Biosynth 46		
<i>Kontroller alle 12 måneder/ 500 timer</i>		

ANVEND		KLIMA
Alternativ (acceptabel)		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrisynt MSP 10W-40	Agridiesel MSP 15W-40	Agridiesel CRD+ 15W-40
<i>Kontroller alle 10 timer, skift alle 2000 timer/ 12 måneder</i>		

ANVEND		KLIMA
Væskeanalyse, alternativ		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrisynt MSP 10W-40	Agridiesel MSP 15W-40	Agridiesel CRD+ 15W-40
<i>Kontroller alle 12 måneder/ 500 timer</i>		

SMØREPUNKTER/NIPLER		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		
<i>Kontroller alle 3 måneder/ 250 timer</i>		



CATERPILLAR VIBRATORY COMPACTORS CB/CC/CD/CP/CS CC34B 324/471 (2013 OG EFTER)



KØLESYSTEM

Kapacitet: 13 liter

ANVEND

Væskeanalyse, foretrukken

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 17

Kontroller alle 12 måneder, skift alle 72 måneder/ 12000 timer

ANVEND

Væskeanalyse, indledende (foretrukket)

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 17

Kontroller alle 500 timer

ANVEND

Væskeanalyse, alternativ

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

Kontroller alle 3 måneder/ 500 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.