

DIECI TELESKOPLÆSSER DEDALUS 30.7

PERKINS 1104D-44T (2011 OG EFTER)



MOTOR Perkins 1104D-44T
Kapacitet: 7 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Kontroller alle 10 timer, skift alle 500 timer/ 6 måneder

DIFFERENTIALE BAG
Kapacitet: 3,8 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 6 måneder/ 500 timer, skift alle 12 måneder/ 1000 timer

DIFFERENTIALE FOR
Kapacitet: 3,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 6 måneder/ 500 timer, skift alle 12 måneder/ 1000 timer

GEARKASSE
Kapacitet: 1,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 6 måneder/ 500 timer, skift alle 12 måneder/ 1000 timer

NAVREDUKTIONER BAG
Kapacitet: 0,9 liter (hvert nav)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 6 måneder/ 500 timer, skift alle 12 måneder/ 1000 timer

DIECI TELESKOPLÆSSER DEDALUS 30.7

PERKINS 1104D-44T (2011 OG EFTER)



NAVREDUKTIONER FOR

Kapacitet: 0,9 liter (hvert nav)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 6 måneder/ 500 timer, skift alle 12 måneder/ 1000 timer

HYDRAULISK SYSTEM

Kapacitet: 140 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Perlus Biosynth 46

PRODUKTANBEFALING 2

Perlus H 46

Kontroller alle 10 timer, skift alle 500 timer/ 6 måneder

HYDRAULISK BREMSESYSTEM

Kapacitet: 1 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

Kontroller alle 100 timer, skift alle 1000 timer/ 12 måneder

SMØREPUNKTER/NIPLER

Kapacitet: 4 kg

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

KØLESYSTEM

Kapacitet: 7 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Kontroller alle 10 timer, skift alle 1000 timer/ 12 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the

PRODUKTANBEFALING

DIECI TELESKOPLÆSSER DEDALUS 30.7 PERKINS 1104D-44T (2011 OG EFTER)



information contained herein is subject to changes without notification.