

DOOSAN (DAEWOO) GAFFELTRUCK, DIESEL D/GXD D50S-2 (3-SPEED) DHIM DB58S (2004-2007)



MOTOR Daewoo DB58S
Kapacitet: 20,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel MSP 15W-40	Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40

Kontroller alle 10 timer, skift alle 1 måneder/ 250 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel MSP 15W-40	Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40

Skift alle 50 timer/ 1 uge

DRIVAKSEL (VÅD BREMSE)
Kapacitet: 14 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Agrifluid HT-Plus	Agrifluid HT	

Skift alle 1500 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Agrifluid HT-Plus	Agrifluid HT	

Skift alle 50 timer

DOOSAN (DAEWOO) GAFFELTRUCK, DIESEL D/GXD D50S-2 (3-SPEED) DHIM DB58S (2004-2007)



GEAR Powershift
Kapacitet: 23 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Multifleet SCD 30

Skift alle 1000 timer/ 12 måneder

ANVEND
Normal

KLIMA
Koldt

PRODUKTANBEFALING 1
Multifleet SCD 10W

Skift alle 1000 timer/ 12 måneder

ANVEND
Første Service

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Multifleet SCD 30

Skift alle 50 timer

ANVEND
Første Service

KLIMA
Koldt

PRODUKTANBEFALING 1
Multifleet SCD 10W

Skift alle 50 timer

DOOSAN (DAEWOO) GAFFELTRUCK, DIESEL D/GXD D50S-2 (3-SPEED) DHIM DB58S (2004-2007)



HYDRAULIKSYSTEM SERVOSTYRING

Kapacitet: 117 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus H 68	

Skift alle 2500 timer

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Perlus H 32		

Skift alle 2500 timer

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus H 68	

Skift alle 1000 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1		
Perlus H 32		

Skift alle 1000 timer

BREMSESYSTEM VÅDE BREMSER

Kapacitet: 1 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 32	Perlus AF 32	

Skift alle 24 måneder/ 3000 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.