

GENIE SPOREDE SKOVANHÆNGERE GTH/AGRI GTH-3512 SX (19260-20669) - DEUTZ TD 2011 L04W



MOTOR Deutz D 2011 L04W
Kapacitet: 10 liter

ANVEND

Acceptabelt svovlniveau i brændstof <0,5 %, omgivelsestemperatur >-10° C

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Multifleet SHPD 20W-50

Kontroller alle 10 timer, skift alle 6 måneder/ 250 timer

ANVEND

Acceptabelt svovlniveau i brændstof <0,5 %, omgivelsestemperatur >-10° C

KLIMA

Moderat

PRODUKTANBEFALING 1

Kroontrak CVT 10W-40

PRODUKTANBEFALING 2

Helar 0W-40

PRODUKTANBEFALING 3

Agridiesel CRD+ 15W-40

Kontroller alle 10 timer, skift alle 6 måneder/ 250 timer

ANVEND

Normal, svovlniveau i brændstof <0,5 %, omgivelsestemperatur >-10° C

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Multifleet SHPD 20W-50

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

ANVEND

Normal, svovlniveau i brændstof <0,5 %, omgivelsestemperatur >-10° C

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrisynth LSP 10W-40

PRODUKTANBEFALING 2

Kroontrak CVT 10W-40

PRODUKTANBEFALING 3

Agrisynth MSP 10W-40

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

DIFFERENTIALE BAG

Kapacitet: 8,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid Synth XHP Ultra

PRODUKTANBEFALING 2

Kroontrak MTH 10W-30

PRODUKTANBEFALING 3

Agrifluid HT

Kontroller alle 1 måneder/ 250 timer, skift alle 1000 timer/ 12 måneder

GENIE SPOREDE SKOVANHÆNGERE GTH/AGRI GTH-3512 SX (19260-20669) - DEUTZ TD 2011 L04W



DIFFERENTIALE FOR

Kapacitet: 8,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid Synth XHP Ultra

PRODUKTANBEFALING 2

Kroontrak MTH 10W-30

PRODUKTANBEFALING 3

Agrifluid HT

Kontroller alle 1 måneder/ 250 timer, skift alle 1000 timer/ 12 måneder

GEARKASSE MED RETNINGSKOBLER

Kapacitet: 1,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid Synth XHP Ultra

PRODUKTANBEFALING 2

Kroontrak MTH 10W-30

PRODUKTANBEFALING 3

Agrifluid HT

Kontroller alle 1 måneder/ 250 timer, skift alle 1000 timer/ 12 måneder

NAVREDUKTIONER BAG

Kapacitet: 0,75 liter (hvert)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid Synth XHP Ultra

PRODUKTANBEFALING 2

Kroontrak MTH 10W-30

PRODUKTANBEFALING 3

Agrifluid HT

Kontroller alle 1 måneder/ 250 timer, skift alle 1000 timer/ 12 måneder

NAVREDUKTIONER FOR

Kapacitet: 0,75 liter (hvert)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid Synth XHP Ultra

PRODUKTANBEFALING 2

Kroontrak MTH 10W-30

PRODUKTANBEFALING 3

Agrifluid HT

Kontroller alle 1 måneder/ 250 timer, skift alle 1000 timer/ 12 måneder

HYDRAULISK SYSTEM

Kapacitet: 80 liter (Hydrauliktank)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 46

PRODUKTANBEFALING 2

Perlus AF 46

Kontroller alle 8 timer, skift alle 12 måneder/ 1000 timer

GENIE SPOREDE SKOVANHÆNGERE GTH/AGRI GTH-3512 SX (19260-20669) - DEUTZ TD 2011 L04W



HYDRAULISK BREMSESYSTEM

Kapacitet: 0,1 liter (Hydrauliktank)

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus AF 46	

Kontroller alle 8 timer, skift alle 12 måneder/ 1000 timer

KØLESYSTEM

Kapacitet: 15 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	

Kontroller alle 10 timer, skift alle 2000 timer/ 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.