

HAMM TROMLER MED GUMMIHJUL GRW/HD-TT GRW 21 DEUTZ BF4M2012C (H1142242 ->)



MOTOR Deutz BF4M-2012C
Kapacitet: 9,5 liter

ANVEND

Normal, svovlniveau i brændstof <0,5 %, omgivelsestemperatur >-10° C

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Multifleet SHPD 20W-50

Skift alle 500 timer

ANVEND

Normal, svovlniveau i brændstof <0,5 %, omgivelsestemperatur >-10° C

KLIMA

Moderat

PRODUKTANBEFALING 1

Kroontrak CVT 10W-40

PRODUKTANBEFALING 2

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 3

Kroontrak MTH 10W-30

Skift alle 500 timer

DIFFERENTIALE

Kapacitet: 6,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 250 timer, skift alle 2000 timer

HAMM TROMLER MED GUMMIHJUL GRW/HD-TT GRW 21 DEUTZ BF4M2012C (H1142242 ->)



GEAR POWERSHIFT

Kapacitet: 20,5 liter

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Perlus H 68

PRODUKTANBEFALING 2

Perlus AF 68

PRODUKTANBEFALING 3

Perlus AF 100

Skift alle 500 timer

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 46

PRODUKTANBEFALING 2

Perlus AF 46

Skift alle 500 timer

ANVEND

Normal

KLIMA

Koldt

PRODUKTANBEFALING 1

Perlus H 32

Skift alle 500 timer

ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1

Perlus H 22

PRODUKTANBEFALING 2

Perlus AF 32

Skift alle 500 timer

NAVREDUKTIONER

Kapacitet: 5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 250 timer, skift alle 2000 timer

HAMM TROMLER MED GUMMIHJUL GRW/HD-TT GRW 21 DEUTZ BF4M2012C (H1142242 ->)



HYDRAULISK SYSTEM

Kapacitet: 6 liter (Hydrauliktank)

ANVEND		KLIMA
Normal		Tropisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Perlus H 68	Perlus AF 68	Perlus AF 100

Kontroller alle 125 timer, skift alle 500 timer

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus AF 46	

Kontroller alle 125 timer, skift alle 500 timer

ANVEND		KLIMA
Normal		Koldt
PRODUKTANBEFALING 1		
Perlus H 32		

Kontroller alle 125 timer, skift alle 500 timer

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 22	Perlus AF 32	

Kontroller alle 125 timer, skift alle 500 timer

SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

KØLESYSTEM

Kapacitet: 14 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

HAMM TROMLER MED GUMMIHJUL GRW/HD-TT GRW 21 DEUTZ BF4M2012C (H1142242 ->)



TAKTTILPASNING

Kapacitet: 3,6 liter

ANVEND		KLIMA
Normal		Tropisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Perlus H 68	Perlus AF 68	Perlus AF 100

Kontroller alle 2000 timer

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus AF 46	

Kontroller alle 2000 timer

ANVEND		KLIMA
Normal		Koldt
PRODUKTANBEFALING 1		
Perlus H 32		

Kontroller alle 2000 timer

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 22	Perlus AF 32	

Kontroller alle 2000 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.