

HYSTER GAFFELTRUCK, DIESEL H40.00B PERKINS



MOTOR Perkins

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Multifleet SCD 30		

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	Multifleet SCD 20W-20

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Multifleet SHPD 10W-40		

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
Multifleet SCD 10W		

DIFFERENTIALE

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube GL-5 85W-140

GEAR ZF 3PW-45H

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
HDX 10W		

HYSTER GAFFELTRUCK, DIESEL H40.00B PERKINS



HYDRAULISK SYSTEM

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

HDX 20W-20

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Kroontrak MTH 10W-30

PRODUKTANBEFALING 2

HDX 10W

HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 3

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

HYSTER GAFFELTRUCK, DIESEL H40.00B PERKINS



SMØREPUNKTER/NIPLER HJULLEJER OLIESMURTE

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1 Multifleet SCD 30		
---	--	--

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1 Dieselfleet CD+ 15W-40	PRODUKTANBEFALING 2 Multifleet SHPD 15W-40	PRODUKTANBEFALING 3 Multifleet SCD 20W-20
--	--	---

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1 Multifleet SHPD 10W-40		
--	--	--

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1 Multifleet SCD 10W		
--	--	--

KØLESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1 Coolant -38 Organic NF	PRODUKTANBEFALING 2 Coolant -26	
--	---	--

DRIVAKSEL

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1 MoS2 Grease EP 2		
--	--	--

HEJSEKÆDER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1 HDX 30		
--------------------------------------	--	--

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is

PRODUKTANBEFALING

HYSTER GAFFELTRUCK, DIESEL H40.00B PERKINS



advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.