

HYSTER GAFFELTRUCK, DIESEL H44.00B PERKINS



MOTOR Perkins

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Multifleet SCD 30		

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	Multifleet SCD 20W-20

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Multifleet SHPD 10W-40		

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
Multifleet SCD 10W		

DIFFERENTIALE

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube GL-5 85W-140

GEAR ZF 3PW-45H

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
HDX 10W		

HYSTER GAFFELTRUCK, DIESEL H44.00B PERKINS



HYDRAULISK SYSTEM

ANVEND		KLIMA
Normal		Tropisk
PRODUKTANBEFALING 1		
HDX 20W-20		

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Kroontrak MTH 10W-30	HDX 10W	

HYDRAULISK BREMSESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

SMØREPUNKTER/NIPLER HJULLEJER OLIESMURTE

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
HDX 30		

KØLESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Coolant -38 Organic NF	Coolant -26	

HYSTER GAFFELTRUCK, DIESEL H44.00B PERKINS



DRIVAKSEL

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
HDX 30		

HEJSEKÆDER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
HDX 30		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.