

# HYSTER GAFFELTRUCK, DIESEL H460B PERKINS (KASSE 1984)



## MOTOR Perkins

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Tropisk |

| PRODUKTANBEFALING 1      |  |  |
|--------------------------|--|--|
| <b>Multifleet SCD 30</b> |  |  |

| ANVEND | KLIMA            |
|--------|------------------|
| Normal | Middelhavsagtigt |

| PRODUKTANBEFALING 1           | PRODUKTANBEFALING 2           | PRODUKTANBEFALING 3          |
|-------------------------------|-------------------------------|------------------------------|
| <b>Dieselfleet CD+ 15W-40</b> | <b>Multifleet SHPD 15W-40</b> | <b>Multifleet SCD 20W-20</b> |

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1           |  |  |
|-------------------------------|--|--|
| <b>Multifleet SHPD 10W-40</b> |  |  |

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Arktisk |

| PRODUKTANBEFALING 1       |  |  |
|---------------------------|--|--|
| <b>Multifleet SCD 10W</b> |  |  |

## DIFFERENTIALE

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2                | PRODUKTANBEFALING 3          |
|-----------------------------|------------------------------------|------------------------------|
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> | <b>Gearlube GL-5 85W-140</b> |

## DRIVAKSEL BREMSE "S" KNASTAKSEL

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1     |  |  |
|-------------------------|--|--|
| <b>MoS2 Grease EP 2</b> |  |  |

## GEAR Allison

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1       | PRODUKTANBEFALING 2    |  |
|---------------------------|------------------------|--|
| <b>Gear Oil Alcat 10W</b> | <b>ATF Dexron II-D</b> |  |

# HYSTER GAFFELTRUCK, DIESEL H460B PERKINS (KASSE 1984)



## GEAR Funk

| ANVEND                           |                          | KLIMA                       |
|----------------------------------|--------------------------|-----------------------------|
| Normal                           |                          | Moderat                     |
| PRODUKTANBEFALING 1              | PRODUKTANBEFALING 2      | PRODUKTANBEFALING 3         |
| <b>Agrifluid Synth XHP Ultra</b> | <b>Agrifluid HT-Plus</b> | <b>Kroontrak MTH 10W-30</b> |

## NAVREDUKTIONER

| ANVEND                      |                                    | KLIMA                        |
|-----------------------------|------------------------------------|------------------------------|
| Normal                      |                                    | Moderat                      |
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2                | PRODUKTANBEFALING 3          |
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> | <b>Gearlube GL-5 85W-140</b> |

## HYDRAULISK SYSTEM

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Tropisk |
| PRODUKTANBEFALING 1 |  |         |
| <b>HDX 20W-20</b>   |  |         |

| ANVEND                      |                     | KLIMA   |
|-----------------------------|---------------------|---------|
| Normal                      |                     | Moderat |
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2 |         |
| <b>Kroontrak MTH 10W-30</b> | <b>HDX 10W</b>      |         |

## SMØREPUNKTER/NIPLER

| ANVEND                  |  | KLIMA   |
|-------------------------|--|---------|
| Normal                  |  | Moderat |
| PRODUKTANBEFALING 1     |  |         |
| <b>MoS2 Grease EP 2</b> |  |         |

## HEJSEKÆDER

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>HDX 30</b>       |  |         |

# HYSTER GAFFELTRUCK, DIESEL H460B PERKINS (KASSE 1984)



## HJULLEJER OLIEKAR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**HDX 30**

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*