

HYSTER GAFFELTRUCK, DIESEL H5.5FT CUMMINS QSB 3.3L (2005 OG EFTER)



MOTOR Cummins QSB3.3
Kapacitet: 7,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel CRD+ 15W-40	Synfleet SHPD 10W-40	Dieselfleet CD+ 15W-40

Kontroller alle 8 timer, skift alle 6 måneder/ 500 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel CRD+ 15W-40	Synfleet SHPD 10W-40	Dieselfleet CD+ 15W-40

Skift alle 100 timer

DRIVAKSEL MED TØRRE BREMSER
Kapacitet: 6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	Gearlube GL-5 85W-140

Kontroller alle 500 timer, skift alle 12 måneder/ 2000 timer

GEAR
Kapacitet: 31,3 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrifluid Synth XHP Ultra	Agrifluid HT-Plus	Kroontrak MTH 10W-30

Kontroller alle 500 timer, skift alle 12 måneder/ 2000 timer

HJULLEJER STYREKSEL

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

Skift alle 2000 timer/ 12 måneder

HYSTER GAFFELTRUCK, DIESEL H5.5FT CUMMINS QSB 3.3L (2005 OG EFTER)



STYREKSEL

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

Skift alle 500 timer/ 12 måneder

HYDRAULISK SYSTEM

Kapacitet: 62 liter (Korthjulsbase), Kapacitet: 78 liter (Langhjulsbase)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 46

PRODUKTANBEFALING 2

Perlus AF 46

Kontroller alle 8 timer, skift alle 24 måneder/ 4000 timer

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 46

PRODUKTANBEFALING 2

Perlus AF 46

Skift alle 2000 timer/ 12 måneder

HYDRAULISK BREMSESYSTEM

Kapacitet: 0,35 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

Kontroller alle 500 timer, skift alle 12 måneder/ 2000 timer

KØLESYSTEM

Kapacitet: 10,4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Kontroller alle 8 timer, skift alle 12 måneder/ 2000 timer

HYSTER GAFFELTRUCK, DIESEL H5.5FT CUMMINS QSB 3.3L (2005 OG EFTER)



DREJETAPPER PÅ TELESKOPARM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

Kontroller alle 8 timer, skift alle 12 måneder/ 500 timer

GLIDEFLADER TELESKOPARM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

Kontroller alle 8 timer, skift alle 12 måneder/ 500 timer

HEJSEKÆDER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Dieselfleet MSP 10W-30		

Kontroller alle 8 timer, skift alle 12 måneder/ 500 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.