

# HYSTER GAFFELTRUCK, DIESEL H70XL PERKINS



## MOTOR Perkins 4.248.2

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Tropisk |

| PRODUKTANBEFALING 1      |  |  |
|--------------------------|--|--|
| <b>Multifleet SCD 30</b> |  |  |

| ANVEND | KLIMA            |
|--------|------------------|
| Normal | Middelhavsagtigt |

| PRODUKTANBEFALING 1           | PRODUKTANBEFALING 2           | PRODUKTANBEFALING 3          |
|-------------------------------|-------------------------------|------------------------------|
| <b>Dieselfleet CD+ 15W-40</b> | <b>Multifleet SHPD 15W-40</b> | <b>Multifleet SCD 20W-20</b> |

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1           |  |  |
|-------------------------------|--|--|
| <b>Multifleet SHPD 10W-40</b> |  |  |

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Arktisk |

| PRODUKTANBEFALING 1       |  |  |
|---------------------------|--|--|
| <b>Multifleet SCD 10W</b> |  |  |

## DRIVAKSEL

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2                | PRODUKTANBEFALING 3          |
|-----------------------------|------------------------------------|------------------------------|
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> | <b>Gearlube GL-5 85W-140</b> |

## GEAR Hyster

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1              | PRODUKTANBEFALING 2      | PRODUKTANBEFALING 3         |
|----------------------------------|--------------------------|-----------------------------|
| <b>Agrifluid Synth XHP Ultra</b> | <b>Agrifluid HT-Plus</b> | <b>Kroontrak MTH 10W-30</b> |

## GEAR Powershift

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2                | PRODUKTANBEFALING 3          |
|-----------------------------|------------------------------------|------------------------------|
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> | <b>Gearlube GL-5 85W-140</b> |

# HYSTER GAFFELTRUCK, DIESEL H70XL PERKINS



## GEAR MANUEL

| ANVEND                      |                                    | KLIMA                        |
|-----------------------------|------------------------------------|------------------------------|
| Normal                      |                                    | Moderat                      |
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2                | PRODUKTANBEFALING 3          |
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> | <b>Gearlube GL-5 85W-140</b> |

## HYDRAULISK SYSTEM

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Tropisk |
| PRODUKTANBEFALING 1 |  |         |
| <b>HDX 20W-20</b>   |  |         |

| ANVEND                      |                     | KLIMA   |
|-----------------------------|---------------------|---------|
| Normal                      |                     | Moderat |
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2 |         |
| <b>Kroontrak MTH 10W-30</b> | <b>HDX 10W</b>      |         |

## HYDRAULISK BREMSESYSTEM

| ANVEND                  |  | KLIMA   |
|-------------------------|--|---------|
| Normal                  |  | Moderat |
| PRODUKTANBEFALING 1     |  |         |
| <b>Drauliquid DOT 3</b> |  |         |

## SMØREPUNKTER/NIPLER

| ANVEND                  |  | KLIMA   |
|-------------------------|--|---------|
| Normal                  |  | Moderat |
| PRODUKTANBEFALING 1     |  |         |
| <b>MoS2 Grease EP 2</b> |  |         |

## HEJSEKÆDER

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>HDX 30</b>       |  |         |

# HYSTER GAFFELTRUCK, DIESEL H70XL PERKINS



## KOBLINGSSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Agrifluid Synth XHP Ultra**

PRODUKTANBEFALING 2

**Agrifluid HT-Plus**

PRODUKTANBEFALING 3

**Kroontrak MTH 10W-30**

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*