

HYSTER GAFFELTRUCK, DIESEL S35XL S1.75XL, ISUZU (KASSE 1994)



MOTOR Isuzu C240

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
HDX 40		

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
HDX 30		

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
HDX 20W-20		

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
HDX 10W		

DIFFERENTIALE

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	

GEAR Powershift

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrifluid Synth XHP Ultra	Agrifluid HT-Plus	Kroontrak MTH 10W-30

HYSTER GAFFELTRUCK, DIESEL S35XL S1.75XL, ISUZU (KASSE 1994)



HYDRAULISK SYSTEM

ANVEND		KLIMA
Normal		Tropisk
PRODUKTANBEFALING 1		
HDX 20W-20		

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Kroontrak MTH 10W-30	HDX 10W	

HYDRAULISK BREMSESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		

DREJETAPPER PÅ TELESKOPARM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

GLIDEFLADER TELESKOPARM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

HEJSEKÆDER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
HDX 30		

HYSTER GAFFELTRUCK, DIESEL S35XL S1.75XL, ISUZU (KASSE 1994)



HJULLEJER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

TELESKOPARM SLIDFLADER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.