

HYSTER GAFFELTRUCK, PETROI/LP-GAS H2.5CT [A274] (2011 OG EFTER)



MOTOR Mazda
Kapacitet: 3,9 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Dieselfleet MSP 10W-30

Kontroller alle 8 timer, skift alle 6 måneder/ 500 timer

ANVEND
Normal

KLIMA
Koldt

PRODUKTANBEFALING 1
Armado Synth LSP Ultra 5W-30

Kontroller alle 8 timer, skift alle 6 måneder/ 500 timer

DRIVAKSEL
Kapacitet: 5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube GL-5 80W-90

PRODUKTANBEFALING 2
Unigear HS GL-3/GL-5 80W-90

PRODUKTANBEFALING 3
Gearlube GL-5 85W-140

Kontroller alle 12 måneder/ 500 timer, skift alle 12 måneder/ 2000 timer

GEAR
Kapacitet: 13 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Agrifluid Synth XHP Ultra

PRODUKTANBEFALING 2
Agrifluid HT-Plus

PRODUKTANBEFALING 3
Kroontrak MTH 10W-30

Kontroller alle 12 måneder/ 500 timer, skift alle 12 måneder/ 2000 timer

HJULLEJER STYREKSEL

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
MoS2 Grease EP 2

Skift alle 2000 timer/ 12 måneder

HYSTER GAFFELTRUCK, PETROL/LP-GAS H2.5CT [A274] (2011 OG EFTER)



STYREKSEL

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
MoS2 Grease EP 2

Skift alle 1000 timer/ 12 måneder

HYDRAULISK SYSTEM

Kapacitet: 39,2 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Perlus H 46

PRODUKTANBEFALING 2
Perlus AF 46

Kontroller alle 8 timer, skift alle 24 måneder/ 4000 timer

ANVEND
Krævende

KLIMA
Moderat

PRODUKTANBEFALING 1
Perlus H 46

PRODUKTANBEFALING 2
Perlus AF 46

Kontroller alle 8 timer, skift alle 12 måneder/ 2000 timer

ANVEND
Væskeanalyse

KLIMA
Moderat

PRODUKTANBEFALING 1
Perlus H 46

PRODUKTANBEFALING 2
Perlus AF 46

Kontroller alle 500 timer

HYDRAULISK BREMSESYSTEM

Kapacitet: 0,25 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Drauliquid DOT 3

Kontroller alle 12 måneder/ 500 timer, skift alle 12 måneder/ 2000 timer

SMØREPUNKTER/NIPLER

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
MoS2 Grease EP 2

Skift alle 500 timer/ 12 måneder

HYSTER GAFFELTRUCK, PETROI/LP-GAS H2.5CT [A274] (2011 OG EFTER)



KØLESYSTEM

Kapacitet: 11,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Skift alle 24 måneder/ 4000 timer

DREJETAPPER PÅ TELESKOPARM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

Skift alle 500 timer/ 12 måneder

GLIDEFLADER TELESKOPARM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

Skift alle 500 timer/ 12 måneder

ANVEND

De første 1000 timer

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

Skift alle 3 måneder

HEJSEKÆDER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

HDX 30

Kontroller alle 8 timer

HYSTER GAFFELTRUCK, PETROI/LP-GAS H2.5CT [A274] (2011 OG EFTER)



MASTRULLER		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		
Skift alle 500 timer/ 12 måneder		
ANVEND		KLIMA
De første 1000 timer		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		
Skift alle 3 måneder		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.