PRODUKTANBEFALING

# HYUNDAI GAFFELTRUCKS, LPG 35L-7 GM 4.3L V6 (2009-2011)

## MOTOR GM 4.3L
Kapacitet: 4,3 liter

| ANVEND | KLIMA |
|---|---|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | | |
|---|---|---|
| **Asyntho 5W-30** | | |

*Kontroller alle 10 timer, skift alle 200 timer*

## DIFFERENTIALE FOR
Kapacitet: 10,5 liter

| ANVEND | KLIMA |
|---|---|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2 | PRODUKTANBEFALING 3 |
|---|---|---|
| **Agrifluid Synth XHP Ultra** | **Agrifluid HT-Plus** | **Agrifluid HT** |

*Kontroller alle 1 måneder/ 250 timer, skift alle 3 måneder/ 500 timer*

| ANVEND | KLIMA |
|---|---|
| Første Service | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2 | PRODUKTANBEFALING 3 |
|---|---|---|
| **Agrifluid Synth XHP Ultra** | **Agrifluid HT-Plus** | **Agrifluid HT** |

*Skift alle 50 timer*

## GEAR POWERSHIFT 2/2
Kapacitet: 12 liter (+ "torque converter")

| ANVEND | KLIMA |
|---|---|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2 | |
|---|---|---|
| **SP Matic 2032** | **ATF Almirol** | |

*Kontroller alle 50 timer, skift alle 6 måneder/ 1000 timer*

| ANVEND | KLIMA |
|---|---|
| Første Service | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2 | |
|---|---|---|
| **SP Matic 2032** | **ATF Almirol** | |

*Skift alle 100 timer*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUKTANBEFALING

# HYUNDAI GAFFELTRUCKS, LPG 35L-7 GM 4.3L V6 (2009-2011)

## HYDRAULISK SYSTEM
Kapacitet: 66 liter

| ANVEND | KLIMA |
|---|---|
| Normal | Middelhavsagtigt |

| PRODUKTANBEFALING 1 | | |
|---|---|---|
| **Perlus H 68** | | |

*Kontroller alle 10 timer, skift alle 2000 timer*

| ANVEND | KLIMA |
|---|---|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2 | |
|---|---|---|
| **Perlus H 46** | **Perlus H 32** | |

*Kontroller alle 10 timer, skift alle 2000 timer*

## HYDRAULISK BREMSESYSTEM
Kapacitet: 0,25 liter

| ANVEND | KLIMA |
|---|---|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | | |
|---|---|---|
| **Perlus H 15** | | |

*Kontroller alle 10 timer, skift alle 6 måneder/ 1000 timer*

## SMØREPUNKTER/NIPLER

| ANVEND | KLIMA |
|---|---|
| Normal | Middelhavsagtigt |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2 | PRODUKTANBEFALING 3 |
|---|---|---|
| **Labora Grease** | **Q5 MP Calcep Grease EP 2** | **MP Lithep Grease EP 2** |

| ANVEND | KLIMA |
|---|---|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | | |
|---|---|---|
| **Gear Grease EP 1** | | |

## KØLESYSTEM
Kapacitet: 21,5 liter

| ANVEND | KLIMA |
|---|---|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2 | |
|---|---|---|
| **Coolant -38 Organic NF** | **Coolant -26** | |

*Kontroller alle 10 timer, skift alle 800 timer*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

# HYUNDAI GAFFELTRUCKS, LPG 35L-7 GM 4.3L V6 (2009-2011)

*advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367