

JOHN DEERE (TIMBERJACK) SPEDITØRER 810B



MOTOR Perkins 1004-40T
Kapacitet: 8,5 liter

ANVEND
Normal

KLIMA
Middelhavssagtigt

PRODUKTANBEFALING 1
AgriDiesel CRD+ 15W-40

PRODUKTANBEFALING 2
Multifleet SHPD 15W-40

PRODUKTANBEFALING 3
Multifleet SHPD 20W-50

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Armado Synth 5W-30

DIFFERENTIALE
Kapacitet: 11 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Gear 1011

PRODUKTANBEFALING 2
Syngear TDL 75W-90

PRODUKTANBEFALING 3
Gearlube GL-5 80W-90

Skift alle 2000 timer

REDUKTIONSGEARKASSE HØJ/LAV
Kapacitet: 5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Gear 1011

PRODUKTANBEFALING 2
Syngear TDL 75W-90

PRODUKTANBEFALING 3
Gearlube GL-5 80W-90

Skift alle 1000 timer

SVINGREDUKTIONSENHED KRAN
Kapacitet: 5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
SP Gear 1011

PRODUKTANBEFALING 2
Syngear TDL 75W-90

PRODUKTANBEFALING 3
Gearlube GL-5 80W-90

Skift alle 1000 timer

JOHN DEERE (TIMBERJACK) SPEDITØRER 810B



SVINGREDUKTIONSENHED LÆSSER

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Gearlube GL-5 80W-90

BOGIE-HUS

Kapacitet: 52 liter

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 SP Gear 1011	PRODUKTANBEFALING 2 Syngear TDL 75W-90	PRODUKTANBEFALING 3 Gearlube GL-5 80W-90

HYDRAULISK SYSTEM

Kapacitet: 85 liter

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Perlus H 46	PRODUKTANBEFALING 2 Perlus H 68	

Skift alle 1000 timer

ANVEND Normal		KLIMA Koldt
PRODUKTANBEFALING 1 Perlus H 32		

Skift alle 1000 timer

HYDRAULISK TIPPESYSTEM FOR KABINEN

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 ATF Dexron II-D	PRODUKTANBEFALING 2 ATF-F (Ford)	

HYDRAULISK BREMSESYSTEM

Kapacitet: 0,4 liter

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 ATF Dexron II-D	PRODUKTANBEFALING 2 ATF-F (Ford)	

JOHN DEERE (TIMBERJACK) SPEDITØRER 810B



SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

KØLESYSTEM

Kapacitet: 22 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Skift alle 2000 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.