

KOMATSU GAFFELTRUCKS, ELEKTRISKE FB FB16MG-3E



AKSEL		
ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	
<i>Skift alle 6 måneder/ 1200 timer</i>		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gearlube GL-5 85W-140		
<i>Skift alle 6 måneder/ 1200 timer</i>		
ANVEND		KLIMA
Normal		Koldt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 5015	SP Gear 1071	
<i>Skift alle 6 måneder/ 1200 timer</i>		
ANVEND		KLIMA
Første Service		Middelhavsagtigt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	
<i>Skift alle 200 timer</i>		
ANVEND		KLIMA
Første Service		Moderat
PRODUKTANBEFALING 1		
Gearlube GL-5 85W-140		
<i>Skift alle 200 timer</i>		
ANVEND		KLIMA
Første Service		Koldt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
SP Gear 5015	SP Gear 1071	
<i>Skift alle 200 timer</i>		
HYDRAULISK SYSTEM		
ANVEND		KLIMA
Normal		Tropisk
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
HDX 20W-20	Perlus H 68	
<i>Skift alle 6 måneder/ 1200 timer</i>		

KOMATSU GAFFELTRUCKS, ELEKTRISKE FB FB16MG-3E



ANVEND Normal		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Perlus H 46		
Skift alle 6 måneder/ 1200 timer		
ANVEND Normal		KLIMA Koldt
PRODUKTANBEFALING 1 Perlus H 32		
Skift alle 6 måneder/ 1200 timer		
ANVEND Normal		KLIMA Arktisk
PRODUKTANBEFALING 1 HDX 10W		
Skift alle 6 måneder/ 1200 timer		
ANVEND Første Service		KLIMA Tropisk
PRODUKTANBEFALING 1 HDX 20W-20	PRODUKTANBEFALING 2 Perlus H 68	
Skift alle 200 timer		
ANVEND Første Service		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Perlus H 46		
Skift alle 200 timer		
ANVEND Første Service		KLIMA Koldt
PRODUKTANBEFALING 1 Perlus H 32		
Skift alle 200 timer		
ANVEND Første Service		KLIMA Arktisk
PRODUKTANBEFALING 1 HDX 10W		
Skift alle 200 timer		

KOMATSU GAFFELTRUCKS, ELEKTRISKE FB FB16MG-3E



HYDRAULISK BREMSESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Skift alle 6 måneder/ 1200 timer

ELEKTRISKE DREVMOTORER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Labora Grease	Multi Purpose Grease 3	

HJULNAVSLEJER NIPLER LØFTERULLER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

NOTAKSEL

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

KOMATSU GAFFELTRUCKS, ELEKTRISKE FB FB16MG-3E



STYRINGSGEAR FULDT HYDOSTATISK FRA HYDRAULIKSYSTEM

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
HDX 20W-20	Perlus H 68	

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Perlus H 46		

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1		
Perlus H 32		

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
HDX 10W		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.