

KUBOTA GRAVEMASKINER MED LARVEBÅND K/KH/KX/U KX91-3 (2002-2005)



MOTOR Kubota D1503-M
Kapacitet: 6,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Skift alle 250 timer

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 20W-20	Multifleet SCD 10W	

Skift alle 250 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

Skift alle 50 timer

ANVEND	KLIMA
Første Service	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Multifleet SCD 20W-20	Multifleet SCD 10W	

Skift alle 50 timer

HYDRAULISK SYSTEM

Kapacitet: 41 liter, Kapacitet: 33 liter (Hydrauliktank)

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Perlus H 68		

Skift alle 1000 timer

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus H 32	

Skift alle 1000 timer

KUBOTA GRAVEMASKINER MED LARVEBÅND K/KH/KX/U KX91-3 (2002-2005)



SMØREPUNKTER/NIPLER		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

KØLESYSTEM Kapacitet: 5,6 liter		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Coolant -38 Organic NF	PRODUKTANBEFALING 2 Coolant -26	
Skift alle 24 måneder		

KØREREDUKTIONSENHED Kapacitet: 0,6 liter (hvert)		
ANVEND Normal		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Gearlube GL-5 85W-140		
Skift alle 500 timer		

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Gearlube GL-5 80W-90	PRODUKTANBEFALING 2 Unigear HS GL-3/GL-5 80W-90	
Skift alle 500 timer		

ANVEND Normal		KLIMA Koldt
PRODUKTANBEFALING 1 SP Gear 1081	PRODUKTANBEFALING 2 SP Gear 5015	PRODUKTANBEFALING 3 SP Gear 1071
Skift alle 500 timer		

ANVEND Første Service		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Gearlube GL-5 85W-140		
Skift alle 50 timer		

KUBOTA GRAVEMASKINER MED LARVEBÅND K/KH/KX/U KX91-3 (2002-2005)



ANVEND		KLIMA
Første Service		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 50 timer

ANVEND		KLIMA
Første Service		Koldt
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1081	SP Gear 5015	SP Gear 1071

Skift alle 50 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.