

LIEBHERR GUMMIHJULSLÆSSERE L L504

(1995-2000)



MOTOR Deutz F3L-1011

Kapacitet: 8 liter, Filterkapacitet: 0,5 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40

DIFFERENTIALE BAG SELVLÅSENDE

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 1000 timer

DIFFERENTIALE FOR SELVLÅSENDE

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 1000 timer

GEAR ZF 1-AVG 95

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 1000 timer

NAVREDUKTIONER BAG

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Skift alle 1000 timer

LIEBHERR GUMMIHJULSLÆSSERE L L504

(1995-2000)



NAVREDUKTIONER FOR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90*Skift alle 1000 timer*

HYDRAULISK SYSTEM

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Kroontrak MTH 10W-30

PRODUKTANBEFALING 2

Multifleet SHPD 10W-40

PRODUKTANBEFALING 3

Multifleet SHPD 15W-40*Skift alle 2000 timer*

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

HDX 10W*Skift alle 2000 timer*

HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Multifleet SCD 10W

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

HÆNGSLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

AgriDiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 3

Multifleet SHPD 15W-40

LIEBHERR GUMMIHJULSLÆSSERE L L504

(1995-2000)



LED		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Agridiesel CRD+ 15W-40	PRODUKTANBEFALING 2 Dieselfleet CD+ 15W-40	PRODUKTANBEFALING 3 Multifleet SHPD 15W-40

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.