

LINDE GAFFELTRUCKS, DIESEL (319-SERIE) H120.02 PERKINS 6.3544 (KASSE 1993)



MOTOR Perkins 6.3544
Kapacitet: 13,6 liter

ANVEND
Normal

KLIMA
Tropisk

PRODUKTANBEFALING 1
Multifleet SCD 40

PRODUKTANBEFALING 2
HDX 40

Kontroller alle 10 timer, skift alle 250 timer/ 12 måneder

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
HDX 20W-50

PRODUKTANBEFALING 2
HDX 30

PRODUKTANBEFALING 3
HDX 20W-20

Kontroller alle 10 timer, skift alle 250 timer/ 12 måneder

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Kroontrak MTH 10W-30

Kontroller alle 10 timer, skift alle 250 timer/ 12 måneder

ANVEND
Første Service

KLIMA
Tropisk

PRODUKTANBEFALING 1
Multifleet SCD 40

PRODUKTANBEFALING 2
HDX 40

Skift alle 50 timer

ANVEND
Første Service

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
HDX 20W-50

PRODUKTANBEFALING 2
HDX 30

PRODUKTANBEFALING 3
HDX 20W-20

Skift alle 50 timer

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
Kroontrak MTH 10W-30

Skift alle 50 timer

LINDE GAFFELTRUCKS, DIESEL (319-SERIE) H120.02 PERKINS 6.3544 (KASSE 1993)



DRIVAKSELGEAR

Kapacitet: 14 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

PRODUKTANBEFALING 2

Unigear LS GL-3/GL-5 85W-140

Kontroller alle 250 timer, skift alle 2000 timer

GEAR POWERSHIFT 3/3

Kapacitet: 45,5 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Multifleet SCD 10W

Kontroller alle 10 timer, skift alle 1000 timer

NAVREDUKTIONER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 85W-140

PRODUKTANBEFALING 2

Unigear LS GL-3/GL-5 85W-140

Kontroller alle 250 timer, skift alle 2000 timer

HYDRAULISK SYSTEM

Kapacitet: 491 liter (Hydrauliktank)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 46

Kontroller alle 10 timer, skift alle 2000 timer

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

LINDE GAFFELTRUCKS, DIESEL (319-SERIE) H120.02 PERKINS 6.3544 (KASSE 1993)



KØLESYSTEM

Kapacitet: 22,7 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Kontroller alle 10 timer, skift alle 2000 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.