

LINDE SIDELÆSSERE, BREDE DÆK (316-SERIE) 090 (1968-1983)



MOTOR Ford		
ANVEND	KLIMA	
Normal	Tropisk	
PRODUKTANBEFALING 1		
Multifleet SCD 30		
Skift alle 500 timer		
ANVEND	KLIMA	
Normal	Middelhavsagtigt	
PRODUKTANBEFALING 1		
Multifleet SCD 20W-20		
Skift alle 500 timer		
ANVEND	KLIMA	
Normal	Arktisk	
PRODUKTANBEFALING 1		
Multifleet SCD 10W		
Skift alle 500 timer		
ANVEND	KLIMA	
Første Service	Tropisk	
PRODUKTANBEFALING 1		
Multifleet SCD 30		
Skift alle 50 timer		
ANVEND	KLIMA	
Første Service	Middelhavsagtigt	
PRODUKTANBEFALING 1		
Multifleet SCD 20W-20		
Skift alle 50 timer		
ANVEND	KLIMA	
Første Service	Arktisk	
PRODUKTANBEFALING 1		
Multifleet SCD 10W		
Skift alle 50 timer		
MOTOR Perkins		
ANVEND	KLIMA	
Normal	Tropisk	
PRODUKTANBEFALING 1		
Multifleet SCD 30		
Skift alle 500 timer		

LINDE SIDELÆSSERE, BREDE DÆK (316-SERIE) 090 (1968-1983)



ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1		
Multifleet SCD 20W-20		

Skift alle 500 timer

ANVEND		KLIMA
Normal		Arktisk
PRODUKTANBEFALING 1		
Multifleet SCD 10W		

Skift alle 500 timer

ANVEND		KLIMA
Første Service		Tropisk
PRODUKTANBEFALING 1		
Multifleet SCD 30		

Skift alle 50 timer

ANVEND		KLIMA
Første Service		Middelhavsagtigt
PRODUKTANBEFALING 1		
Multifleet SCD 20W-20		

Skift alle 50 timer

ANVEND		KLIMA
Første Service		Arktisk
PRODUKTANBEFALING 1		
Multifleet SCD 10W		

Skift alle 50 timer

DIFFERENTIALE		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

Skift alle 2000 timer

GEAR Twin Disc		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
ATF Almirol		

LINDE SIDELÆSSERE, BREDE DÆK (316-SERIE) 090 (1968-1983)



HYDRAULISK SYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 32*Skift alle 3000 timer*

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

HEJSEKÆDER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Industrial Chain Spray

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.