

# MANITOU MANISKOPISK MLT MLT 725 SERIE 2



## MOTOR

Kapacitet: 7,6 liter

### ANVEND

Normal

### KLIMA

Moderat

#### PRODUKTANBEFALING 1

**Agridiesel CRD+ 15W-40**

#### PRODUKTANBEFALING 2

**Dieselfleet CD+ 15W-40**

#### PRODUKTANBEFALING 3

**Multifleet SHPD 15W-40**

*Skift alle 400 timer*

### ANVEND

Første Service

### KLIMA

Moderat

#### PRODUKTANBEFALING 1

**Agridiesel CRD+ 15W-40**

#### PRODUKTANBEFALING 2

**Dieselfleet CD+ 15W-40**

#### PRODUKTANBEFALING 3

**Multifleet SHPD 15W-40**

*Skift alle 50 timer*

## DIFFERENTIALE BAG

Kapacitet: 4,5 liter

### ANVEND

1. samling, 2 satellitter

### KLIMA

Moderat

#### PRODUKTANBEFALING 1

**Gearlube GL-5 80W-90**

#### PRODUKTANBEFALING 2

**Unigear HS GL-3/GL-5 80W-90**

*Skift alle 800 timer*

### ANVEND

2. samling, 4 satellitter

### KLIMA

Moderat

#### PRODUKTANBEFALING 1

**Agrifluid HT**

*Skift alle 800 timer*

## DIFFERENTIALE FOR

Kapacitet: 7 liter (+ Transfergearkasse)

### ANVEND

Normal

### KLIMA

Moderat

#### PRODUKTANBEFALING 1

**Agrifluid HT**

*Skift alle 800 timer*

# MANITOU MANISKOPISK MLT MLT 725 SERIE 2



## DREJELED TIL AKSEL BAG

| ANVEND               |                                 | KLIMA                        |
|----------------------|---------------------------------|------------------------------|
| Normal               |                                 | Moderat                      |
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2             | PRODUKTANBEFALING 3          |
| <b>Labora Grease</b> | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

## GEAR

Kapacitet: 8,5 liter

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>ATF Almirol</b>  |  |         |

*Skift alle 800 timer*

## NAVREDUKTIONER BAG

Kapacitet: 5 liter (hvert nav)

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>Agrifluid HT</b> |  |         |

*Skift alle 800 timer*

## NAVREDUKTIONER FOR

Kapacitet: 5 liter (hvert nav)

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>Agrifluid HT</b> |  |         |

*Skift alle 800 timer*

## HYDRAULISK SYSTEM

Kapacitet: 118 liter (Hydrauliktank)

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>Perlus H 46</b>  |  |         |

*Skift alle 800 timer*

# MANITOU MANISKOPISK MLT MLT 725

## SERIE 2



### HYDRAULISK BREMSESYSTEM

| ANVEND              |  | KLIMA   |
|---------------------|--|---------|
| Normal              |  | Moderat |
| PRODUKTANBEFALING 1 |  |         |
| <b>LHM +</b>        |  |         |

### SMØREPUNKTER/NIPLER

| ANVEND               |                                 | KLIMA                        |
|----------------------|---------------------------------|------------------------------|
| Normal               |                                 | Moderat                      |
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2             | PRODUKTANBEFALING 3          |
| <b>Labora Grease</b> | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

### KØLESYSTEM

Kapacitet: 15 liter

| ANVEND                |                      | KLIMA                         |
|-----------------------|----------------------|-------------------------------|
| Normal                |                      | Moderat                       |
| PRODUKTANBEFALING 1   | PRODUKTANBEFALING 2  | PRODUKTANBEFALING 3           |
| <b>Coolant SP 15+</b> | <b>Coolant SP 12</b> | <b>Coolant -38 Organic NF</b> |

### GLIDEPUDE UDLIGGER

| ANVEND               |                                 | KLIMA                        |
|----------------------|---------------------------------|------------------------------|
| Normal               |                                 | Moderat                      |
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2             | PRODUKTANBEFALING 3          |
| <b>Labora Grease</b> | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.