

# MANITOU MANISKOPISK MT/MTA MT 425 CP



## MOTOR Perkins 4.236

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

**Dieselfleet CD+ 15W-40**

PRODUKTANBEFALING 2

**Multifleet SHPD 15W-40**

*Skift alle 400 timer*

ANVEND

Første Service

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

**Dieselfleet CD+ 15W-40**

PRODUKTANBEFALING 2

**Multifleet SHPD 15W-40**

*Skift alle 50 timer*

## DIFFERENTIALE BAG

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube GL-5 80W-90**

PRODUKTANBEFALING 2

**Unigear HS GL-3/GL-5 80W-90**

*Skift alle 800 timer*

## DIFFERENTIALE FOR Hurth

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Agrifluid HT**

*Skift alle 800 timer*

## GEAR Borg Warner

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gear Oil Alcat 10W**

PRODUKTANBEFALING 2

**ATF Dexron II-D**

*Skift alle 800 timer*

# MANITOU MANISKOPISK MT/MTA MT 425 CP



## NAVREDUKTIONER BAG

|        |         |
|--------|---------|
| ANVEND | KLIMA   |
| Normal | Moderat |

|                             |                                    |  |
|-----------------------------|------------------------------------|--|
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2                |  |
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> |  |

*Skift alle 800 timer*

## NAVREDUKTIONER FOR

|        |         |
|--------|---------|
| ANVEND | KLIMA   |
| Normal | Moderat |

|                             |                                    |  |
|-----------------------------|------------------------------------|--|
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2                |  |
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> |  |

*Skift alle 800 timer*

## HYDRAULISK SYSTEM

|        |         |
|--------|---------|
| ANVEND | KLIMA   |
| Normal | Moderat |

|                     |  |  |
|---------------------|--|--|
| PRODUKTANBEFALING 1 |  |  |
| <b>Perlus H 46</b>  |  |  |

*Skift alle 800 timer*

## HYDRAULISK BREMSESYSTEM

|        |         |
|--------|---------|
| ANVEND | KLIMA   |
| Normal | Moderat |

|                     |  |  |
|---------------------|--|--|
| PRODUKTANBEFALING 1 |  |  |
| <b>LHM +</b>        |  |  |

## SMØREPUNKTER/NIPLER

|        |         |
|--------|---------|
| ANVEND | KLIMA   |
| Normal | Moderat |

|                      |                                 |                              |
|----------------------|---------------------------------|------------------------------|
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2             | PRODUKTANBEFALING 3          |
| <b>Labora Grease</b> | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

# MANITOU MANISKOPISK MT/MTA MT 425 CP



## TELESKOPISEK ARM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**MoS2 Grease EP 2**

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*