

MOXY LEDDELTE LASTBILER MED TIPPELAD MT26 (2001-2008)



MOTOR Scania DC 9
Kapacitet: 27 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Agridiesel MSP 15W-40

PRODUKTANBEFALING 2
Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 3
Synfleet SHPD 10W-40

Kontroller alle 8 timer, skift alle 500 timer

DIFFERENTIALE BAG
Kapacitet: 32 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube Racing 75W-140

PRODUKTANBEFALING 2
Gearlube LS 80W-90

PRODUKTANBEFALING 3
Unigear LS GL-3/GL-5 85W-140

Skift alle 1000 timer/ 12 måneder

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube Racing 75W-140

PRODUKTANBEFALING 2
Gearlube LS 80W-90

PRODUKTANBEFALING 3
Unigear LS GL-3/GL-5 85W-140

Kontroller alle 8 timer, skift alle 500 timer

DIFFERENTIALE FOR
Kapacitet: 9,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube Racing 75W-140

PRODUKTANBEFALING 2
Gearlube LS 80W-90

PRODUKTANBEFALING 3
Unigear LS GL-3/GL-5 85W-140

Skift alle 1000 timer/ 12 måneder

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube Racing 75W-140

PRODUKTANBEFALING 2
Gearlube LS 80W-90

PRODUKTANBEFALING 3
Unigear LS GL-3/GL-5 85W-140

Kontroller alle 8 timer, skift alle 500 timer

MOXY LEDDELTE LASTBILER MED TIPPELAD MT26 (2001-2008)



GEAR ZF 6WG260-4
Kapacitet: 57 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Agrifluid Synth XHP Ultra

PRODUKTANBEFALING 2
Agrifluid HT-Plus

PRODUKTANBEFALING 3
Agrifluid HT

Skift alle 1000 timer/ 12 måneder

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
Agrifluid Synth XHP Ultra

PRODUKTANBEFALING 2
Agrifluid HT-Plus

PRODUKTANBEFALING 3
Agrifluid HT

Skift alle 100 timer

NAVREDUKTIONER FOR
Kapacitet: 3 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube GL-5 80W-90

PRODUKTANBEFALING 2
Unigear HS GL-3/GL-5 80W-90

PRODUKTANBEFALING 3
Gearlube GL-5 85W-140

Skift alle 1000 timer/ 12 måneder

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube GL-5 80W-90

PRODUKTANBEFALING 2
Unigear HS GL-3/GL-5 80W-90

PRODUKTANBEFALING 3
Gearlube GL-5 85W-140

Kontroller alle 8 timer, skift alle 500 timer

HYDRAULISK SYSTEM
Kapacitet: 138 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Multifleet SCD 10W

Skift alle 2000 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
ATF Dexron II-D

PRODUKTANBEFALING 2
Perlus H 46

PRODUKTANBEFALING 3
Perlus H 32

Skift alle 2000 timer

MOXY LEDDELTE LASTBILER MED TIPPELAD MT26 (2001-2008)

**KØLESYSTEM**

Kapacitet: 36 liter

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

TANDEMKAROSSERI

Kapacitet: 75 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

PRODUKTANBEFALING 3

Gearlube GL-5 85W-140

Skift alle 2000 timer

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

PRODUKTANBEFALING 3

Gearlube GL-5 85W-140

Kontroller alle 8 timer, skift alle 500 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.