

# PONSSE SPEDITØRER GAZELLE (KASSE 2001)



**MOTOR** Caterpillar  
Kapacitet: 22 liter

|            |         |
|------------|---------|
| ANVEND     | KLIMA   |
| Foretrukne | Moderat |

|                               |                             |                             |
|-------------------------------|-----------------------------|-----------------------------|
| PRODUKTANBEFALING 1           | PRODUKTANBEFALING 2         | PRODUKTANBEFALING 3         |
| <b>Agridiesel CRD+ 15W-40</b> | <b>Kroontrak MTH 10W-30</b> | <b>Synfleet SHPD 10W-40</b> |

|            |         |
|------------|---------|
| ANVEND     | KLIMA   |
| Acceptabel | Moderat |

|                               |                             |                      |
|-------------------------------|-----------------------------|----------------------|
| PRODUKTANBEFALING 1           | PRODUKTANBEFALING 2         | PRODUKTANBEFALING 3  |
| <b>Agridiesel CRD+ 15W-40</b> | <b>Kroontrak MTH 10W-30</b> | <b>Asyntho 5W-30</b> |

## BOGGIE DREJELEJER BAG

|        |         |
|--------|---------|
| ANVEND | KLIMA   |
| Normal | Moderat |

|                      |                                 |                              |
|----------------------|---------------------------------|------------------------------|
| PRODUKTANBEFALING 1  | PRODUKTANBEFALING 2             | PRODUKTANBEFALING 3          |
| <b>Labora Grease</b> | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

## BOGGIEHUS BAG

Kapacitet: 14 liter

|        |         |
|--------|---------|
| ANVEND | KLIMA   |
| Normal | Moderat |

|                             |                                    |  |
|-----------------------------|------------------------------------|--|
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2                |  |
| <b>Gearlube GL-5 80W-90</b> | <b>Unigear HS GL-3/GL-5 80W-90</b> |  |

*Skift alle 1200 timer*

## DIFFERENTIALE FOR

Kapacitet: 15,5 liter

|        |         |
|--------|---------|
| ANVEND | KLIMA   |
| Normal | Moderat |

|                           |  |  |
|---------------------------|--|--|
| PRODUKTANBEFALING 1       |  |  |
| <b>Gearlube LS 80W-90</b> |  |  |

*Skift alle 1200 timer*

# PONSSE SPEDITØRER GAZELLE (KASSE 2001)



## DIFFERENTIALER BOGIE BAG

Kapacitet: 13 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube LS 80W-90**

*Skift alle 1200 timer*

## NAVREDUKTIONER BOGIE

Kapacitet: 4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube GL-5 80W-90**

PRODUKTANBEFALING 2

**Unigear HS GL-3/GL-5 80W-90**

*Skift alle 1200 timer*

## NAVREDUKTIONER FOR

Kapacitet: 4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube GL-5 80W-90**

PRODUKTANBEFALING 2

**Unigear HS GL-3/GL-5 80W-90**

*Skift alle 1200 timer*

## REDUKTIONSGEARKASSE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube GL-5 80W-90**

PRODUKTANBEFALING 2

**Unigear HS GL-3/GL-5 80W-90**

*Skift alle 1200 timer*

# PONSSE SPEDITØRER GAZELLE (KASSE 2001)



## HYDRAULISK SYSTEM

Kapacitet: 95 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

**Perlus H 46**

PRODUKTANBEFALING 2

**Perlus H 68**

*Skift alle 1200 timer*

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Perlus H 32**

*Skift alle 1200 timer*

## CENTRALT SMØRINGSSYSTEM

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

**Gear Grease EP 1**

ANVEND

Normal

KLIMA

Koldt

PRODUKTANBEFALING 1

**Gear Grease EP 00/000**

## KØLESYSTEM

Kapacitet: 24 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant SP 15+**

PRODUKTANBEFALING 2

**Coolant SP 12**

PRODUKTANBEFALING 3

**Coolant SP 11**

*Skift alle 2400 timer*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.