

SANDERSON GAFFELTRUCKS TIL HÅRDT TERRÆN 55 - 2WD



MOTOR Ford

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Dieselfleet CD+ 15W-40

Skift alle 250 timer

DIFFERENTIALE FOR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid HT

Skift alle 1000 timer/ 12 måneder

GEAR MANUEL

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agrifluid HT

Skift alle 750 timer

KRAFTOVERFØRING EFFEKTREVERSERING

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

PRODUKTANBEFALING 2

ATF-A

Skift alle 750 timer

MOMENTOMFORMER Ford

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

PRODUKTANBEFALING 2

ATF-A

Skift alle 750 timer

SANDERSON GAFFELTRUCKS TIL HÅRDT TERRÆN 55 - 2WD



NAVREDUKTIONER FOR

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Agrifluid HT		

Skift alle 1000 timer/ 12 måneder

HYDRAULISK SYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Perlus H 46		

Skift alle 1000 timer/ 12 måneder

SERVOSTYRING

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
ATF Dexron II-D	ATF-A	

SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

HEJSEKÆDER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Industrial Chain Spray		

KOBLINGSUDRYKKERLEJE

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

SANDERSON GAFFELTRUCKS TIL HÅRDT TERRÆN 55 - 2WD



PUMPEDREVETS AKSELLAGRE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.