

TADANO FAUN BILKRANER TL-250E OVERBYGNING



HYDRAULISK SYSTEM

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus H 68	

Skift alle 12 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Perlus H 32	Perlus H 22	Perlus H 15

Skift alle 12 måneder

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 46	Perlus H 68	

Skift alle 3 måneder

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Perlus H 32	Perlus H 22	Perlus H 15

Skift alle 3 måneder

SMØREPUNKTER/NIPLER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

ACCELERATORVÆSKEBEHOLDER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Perlus H 22	Perlus H 15	

Skift alle 12 måneder

TADANO FAUN BILKRANER TL-250E OVERBYGNING



HEJSREDUKTIONSENHED

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 12 måneder

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrifluid HT-Plus	SP Gear 5015	Gearlube GL-4 80W

Skift alle 12 måneder

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 3 måneder

ANVEND	KLIMA
Første Service	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrifluid HT-Plus	SP Gear 5015	Gearlube GL-4 80W

Skift alle 3 måneder

REDUKTIONSGEAR HJÆLPEHEJSE

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrifluid HT-Plus	SP Gear 5015	Gearlube GL-4 80W

STÅLWIRER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

TADANO FAUN BILKRANER TL-250E OVERBYGNING



SVINGGEAR TÆNDER

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

SVINGREDUKTIONSENHED

ANVEND Normal		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Unigear LS GL-3/GL-5 85W-140	PRODUKTANBEFALING 2 Abacot MEP 320	

Skift alle 12 måneder

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Gearlube GL-4 80W-90	PRODUKTANBEFALING 2 Unigear HS GL-3/GL-5 80W-90	

Skift alle 12 måneder

ANVEND Normal		KLIMA Koldt
PRODUKTANBEFALING 1 Agrifluid HT-Plus	PRODUKTANBEFALING 2 SP Gear 5015	PRODUKTANBEFALING 3 Gearlube GL-4 80W

Skift alle 12 måneder

ANVEND Første Service		KLIMA Middelhavsagtigt
PRODUKTANBEFALING 1 Unigear LS GL-3/GL-5 85W-140	PRODUKTANBEFALING 2 Abacot MEP 320	

Skift alle 3 måneder

ANVEND Første Service		KLIMA Moderat
PRODUKTANBEFALING 1 Gearlube GL-4 80W-90	PRODUKTANBEFALING 2 Unigear HS GL-3/GL-5 80W-90	

Skift alle 3 måneder

ANVEND Første Service		KLIMA Koldt
PRODUKTANBEFALING 1 Agrifluid HT-Plus	PRODUKTANBEFALING 2 SP Gear 5015	PRODUKTANBEFALING 3 Gearlube GL-4 80W

Skift alle 3 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is

PRODUKTANBEFALING

TADANO FAUN BILKRANER TL-250E OVERBYGNING



advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.