

TADANO FAUN KRANER TIL ALLE TERRÆNER RTF 60-4, CHASSIS MB OM501LA EU II (1998-2004)



MOTOR Mercedes-Benz OM501LA EU II

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Agridiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 3

Multifleet SHPD 15W-40

Skift alle 250 timer

DIFFERENTIALE

Kapacitet: 10,5 liter (1. aksel), Kapacitet: 11 liter (2. aksel), Kapacitet: 10,5 liter (3. aksel)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 2000 timer/ 24 måneder

GEAR ZF 16S-151 16/2

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Syngear MT/LD 75W-80

Skift alle 1000 timer/ 12 måneder

GEAR ZF AS-tronic 12AS2302 12/2

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Syngear MT/LD 75W-80

Skift alle 1000 timer/ 12 måneder

NAVREDUKTIONER

Kapacitet: 1,2 liter (hvert)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 2000 timer/ 24 måneder

TADANO FAUN KRANER TIL ALLE TERRÆNER RTF 60-4, CHASSIS MB OM501LA EU II (1998-2004)



REDUKTIONSGEARKASSE

Kapacitet: 4,5 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Skift alle 2000 timer/ 24 måneder

HYDRAULISK SYSTEM

Kapacitet: 110 liter (Hydrauliktank)

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Perlus H 68		

Skift alle 2000 timer/ 24 måneder

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Perlus H 46		

Skift alle 2000 timer/ 24 måneder

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1		
Perlus H 32		

Skift alle 2000 timer/ 24 måneder

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
Perlus H 22		

Skift alle 2000 timer/ 24 måneder

SMØREPUNKTER/NIPLER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

TADANO FAUN KRANER TIL ALLE TERRÆNER RTF 60-4, CHASSIS MB OM501LA EU II (1998-2004)



STYREENHED VINKELDREV

Kapacitet: 1,5 liter

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Perlus H 68

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Perlus H 46

ANVEND

Normal

KLIMA

Koldt

PRODUKTANBEFALING 1

Perlus H 32

ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1

Perlus H 22

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.