

TADANO FAUN KRANER TIL UJÆVNT TERRÆN TR-200M MITSUBISHI 6D14-T



MOTOR Mitsubishi 6D14-T
Kapacitet: 20 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Multifleet SCD 30

Skift alle 250 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Agriadiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Kroontrak MTH 10W-30

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Skift alle 250 timer

ANVEND
Første Service

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Multifleet SCD 30

Skift alle 60 timer

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1

Agriadiesel CRD+ 15W-40

PRODUKTANBEFALING 2

Kroontrak MTH 10W-30

PRODUKTANBEFALING 3

Synfleet SHPD 10W-40

Skift alle 60 timer

DIFFERENTIALE BAG
Kapacitet: 12 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 1000 timer/ 12 måneder

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 1 måneder/ 100 timer

TADANO FAUN KRANER TIL UJÆVNT TERRÆN TR-200M MITSUBISHI 6D14-T



DIFFERENTIALE FOR

Kapacitet: 12 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 1000 timer/ 12 måneder

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 1 måneder/ 100 timer

GEAR POWERSHIFT 3/1

Kapacitet: 33 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

Skift alle 1000 timer/ 12 måneder

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

Skift alle 1 måneder/ 100 timer

NAVREDUKTIONER BAG

Kapacitet: 3 liter (hvert)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 1000 timer/ 12 måneder

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 1 måneder/ 100 timer

TADANO FAUN KRANER TIL UJÆVNT TERRÆN TR-200M MITSUBISHI 6D14-T



NAVREDUKTIONER FOR

Kapacitet: 3 liter (hvert)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 1000 timer/ 12 måneder

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 1 måneder/ 100 timer

SPILBREMSE

Kapacitet: 0,8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 22

PRODUKTANBEFALING 2

Perlus H 15

PRODUKTANBEFALING 3

Perlus AF 32

Skift alle 2000 timer/ 24 måneder

HYDRAULISK SYSTEM

Kapacitet: 510 liter (Hydrauliksystem inkl. tank), Kapacitet: 438 liter (Hydrauliktank)

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Perlus H 68

PRODUKTANBEFALING 2

Perlus AF 68

Skift alle 2000 timer/ 24 måneder

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Perlus H 46

PRODUKTANBEFALING 2

Perlus AF 46

Skift alle 2000 timer/ 24 måneder

ANVEND

Normal

KLIMA

Koldt

PRODUKTANBEFALING 1

Perlus H 32

PRODUKTANBEFALING 2

Perlus AF 32

Skift alle 2000 timer/ 24 måneder

TADANO FAUN KRANER TIL UJÆVNT TERRÆN TR-200M MITSUBISHI 6D14-T



ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1

Perlus H 22

Skift alle 2000 timer/ 24 måneder

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1

Perlus H 68

PRODUKTANBEFALING 2

Perlus AF 68

Skift alle 250 timer/ 3 måneder

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1

Perlus H 46

PRODUKTANBEFALING 2

Perlus AF 46

Skift alle 250 timer/ 3 måneder

ANVEND	KLIMA
Første Service	Koldt

PRODUKTANBEFALING 1

Perlus H 32

PRODUKTANBEFALING 2

Perlus AF 32

Skift alle 250 timer/ 3 måneder

ANVEND	KLIMA
Første Service	Arktisk

PRODUKTANBEFALING 1

Perlus H 22

Skift alle 250 timer/ 3 måneder

HYDRAULISK BREMSESYSTEM

Kapacitet: 1,6 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1

Drauliquid DOT 5.1

PRODUKTANBEFALING 2

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 3

Drauliquid-S DOT 4

Skift alle 1000 timer/ 12 måneder

TADANO FAUN KRANER TIL UJÆVNT TERRÆN TR-200M MITSUBISHI 6D14-T



SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

KØLESYSTEM

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF

Skift alle 2000 timer/ 24 måneder

SPILTRUKKET REDUKTIONSGEAR

Kapacitet: 2 liter (hvert)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Abacot MEP 320		

Skift alle 1000 timer/ 12 måneder

ANVEND		KLIMA
Første Service		Moderat
PRODUKTANBEFALING 1		
Abacot MEP 320		

Skift alle 250 timer/ 3 måneder

SVINGREDUKTIONSGEAR

Kapacitet: 1,6 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Abacot MEP 320		

Skift alle 1000 timer/ 12 måneder

ANVEND		KLIMA
Første Service		Moderat
PRODUKTANBEFALING 1		
Abacot MEP 320		

Skift alle 250 timer/ 3 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is

PRODUKTANBEFALING

TADANO FAUN KRANER TIL UJÆVNT TERRÆN TR-200M MITSUBISHI 6D14-T



advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.