

TEREX GRAVEMASKINER MED HJUL

TW140 +DPF DEUTZ TCD 2012 L04 (2008 OG EFTER)



MOTOR Deutz TCD 2012 L04
Kapacitet: 10 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agrisynth LSP Ultra 10W-40	Agrisynth LSP 10W-40	Armado Synth LSP Ultra 10W-40

Kontroller alle 10 timer, skift alle 500 timer/ 12 måneder

DIFFERENTIAL BAG PENDULAKSEL

Kapacitet: 11 liter ((2500 mm)), Kapacitet: 12 liter ((2750 mm))

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Gearlube Racing 75W-140		

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1		
Gearlube Racing 75W-140		

Kontroller alle 50 timer, skift alle 500 timer

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 50 timer, skift alle 500 timer

TEREX GRAVEMASKINER MED HJUL

TW140 +DPF DEUTZ TCD 2012 L04 (2008 OG EFTER)



DIFFERENTIAL FORAN PENDULAKSEL

Kapacitet: 11 liter ((2500 mm)), Kapacitet: 12 liter ((2750 mm))

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 50 timer, skift alle 500 timer

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 500 timer

TEREX GRAVEMASKINER MED HJUL TW140 +DPF DEUTZ TCD 2012 L04 (2008 OG EFTER)



DIFFERENTIAL FORAN STIVAKSEL

Kapacitet: 15 liter ((2500 mm)), Kapacitet: 16 liter ((2750 mm))

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND

Første Service

KLIMA

Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 50 timer, skift alle 500 timer

ANVEND

Første Service

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 500 timer

TEREX GRAVEMASKINER MED HJUL TW140 +DPF DEUTZ TCD 2012 L04 (2008 OG EFTER)



DIFFERENTIALE BAG STIV AKSEL

Kapacitet: 15 liter ((2500 mm)), Kapacitet: 16 liter ((2750 mm))

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND

Første Service

KLIMA

Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 50 timer, skift alle 500 timer

ANVEND

Første Service

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 500 timer

TEREX GRAVEMASKINER MED HJUL TW140 +DPF DEUTZ TCD 2012 L04 (2008 OG EFTER)



GEAR Powershift
Kapacitet: 3 liter

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Multifleet SCD 30

PRODUKTANBEFALING 2
Multifleet SCD 20W-20

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Kroontrak MTH 10W-30

PRODUKTANBEFALING 2
Synfleet SHPD 10W-40

PRODUKTANBEFALING 3
Dieselfleet CD+ 15W-40

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND
Første Service

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1
Multifleet SCD 30

PRODUKTANBEFALING 2
Multifleet SCD 20W-20

Kontroller alle 50 timer, skift alle 500 timer

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
Kroontrak MTH 10W-30

PRODUKTANBEFALING 2
Synfleet SHPD 10W-40

PRODUKTANBEFALING 3
Dieselfleet CD+ 15W-40

Kontroller alle 50 timer, skift alle 500 timer

TEREX GRAVEMASKINER MED HJUL TW140 +DPF DEUTZ TCD 2012 L04 (2008 OG EFTER)



NAVREDUKTIONER BAG

Kapacitet: 4 liter

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Gearlube Racing 75W-140		

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1		
Gearlube Racing 75W-140		

Kontroller alle 50 timer, skift alle 500 timer

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 50 timer, skift alle 500 timer



TEREX GRAVEMASKINER MED HJUL TW140 +DPF DEUTZ TCD 2012 L04 (2008 OG EFTER)



NAVREDUKTIONER FOR

Kapacitet: 4 liter

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Gearlube Racing 75W-140		

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 100 timer, skift alle 2000 timer

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1		
Gearlube Racing 75W-140		

Kontroller alle 50 timer, skift alle 500 timer

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 50 timer, skift alle 500 timer

HYDRAULISK SYSTEM

Kapacitet: 157 liter (Hydrauliktank), Kapacitet: 300 liter (System)

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Multifleet SCD 20W-20		

Kontroller alle 10 timer, skift alle 3000 timer

ANVEND	KLIMA
Normal	Koldt

PRODUKTANBEFALING 1		
Multifleet SCD 10W		

Kontroller alle 10 timer, skift alle 3000 timer

TEREX GRAVEMASKINER MED HJUL TW140 +DPF DEUTZ TCD 2012 L04 (2008 OG EFTER)



SMØREPUNKTER/NIPLER ANDRE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

SMØRINGSPUNKTER & NIPLER SVINGGEAR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Compound OGL EP 0/1

KØLESYSTEM

Kapacitet: 35 liter

ANVEND

Fleksibel (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26

Kontroller alle 100 timer

TEREX GRAVEMASKINER MED HJUL TW140 +DPF DEUTZ TCD 2012 L04 (2008 OG EFTER)



SVINGREDUKTIONSENHED

Kapacitet: 3 liter

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 100 timer, skift alle 1000 timer

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 100 timer, skift alle 1000 timer

ANVEND

Første Service

KLIMA

Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 50 timer

ANVEND

Første Service

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Skift alle 50 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.