

TEREX GRAVEMASKINER MED LARVEBÅND TC240 (2006 OG EFTER)



MOTOR Cummins QSB6.7
Kapacitet: 20 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Agrisynth LSP 10W-40

PRODUKTANBEFALING 2

Agridiesel MSP 15W-40

PRODUKTANBEFALING 3

Agridiesel CRD+ 15W-40

Kontroller alle 10 timer, skift alle 500 timer/ 6 måneder

HYDRAULISK SYSTEM

Kapacitet: 216 liter (Hydrauliktank)

ANVEND
Normal

KLIMA
Middelhavsagtigt

PRODUKTANBEFALING 1

Multifleet SCD 20W-20

Kontroller alle 10 timer, skift alle 24 måneder/ 3000 timer

ANVEND
Normal

KLIMA
Koldt

PRODUKTANBEFALING 1

Multifleet SCD 10W

Kontroller alle 10 timer, skift alle 24 måneder/ 3000 timer

SMØREPUNKTER/NIPLER

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

MoS2 Grease EP 2

Kontroller alle 10 timer, skift alle 50 timer

SMØRINGSPUNKTER & NIPLER SVINGGEAR

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Compound OGL EP 0/1

Skift alle 100 timer

TEREX GRAVEMASKINER MED LARVEBÅND TC240 (2006 OG EFTER)



KØLESYSTEM

Kapacitet: 42 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

Kontroller alle 10 timer, skift alle 2000 timer/ 24 måneder

KØREREDUKTIONSENHED

Kapacitet: 6 liter

ANVEND

Normal

KLIMA

Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 100 timer, skift alle 12 måneder/ 2000 timer

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 100 timer, skift alle 12 måneder/ 2000 timer

ANVEND

Første Service

KLIMA

Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 50 timer, skift alle 500 timer/ 12 måneder

ANVEND

Første Service

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 500 timer/ 12 måneder

TEREX GRAVEMASKINER MED LARVEBÅND TC240 (2006 OG EFTER)



SVINGREDUKTIONSENHED

Kapacitet: 6 liter

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Kontroller alle 100 timer, skift alle 1000 timer/ 12 måneder

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 100 timer, skift alle 1000 timer/ 12 måneder

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1

Gearlube Racing 75W-140

Skift alle 50 timer

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Skift alle 50 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.