

TEREX SPOREDE SKOVANHÆNGERE TH-844C (2005 OG EFTER)



MOTOR John Deere 4045 T
Kapacitet: 13,2 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Kroontrak CVT 10W-40

PRODUKTANBEFALING 2
Agrisynth MSP 10W-40

PRODUKTANBEFALING 3
Agridiesel MSP 15W-40

Kontroller alle 10 timer, skift alle 500 timer

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
Kroontrak CVT 10W-40

PRODUKTANBEFALING 2
Agrisynth MSP 10W-40

PRODUKTANBEFALING 3
Agridiesel MSP 15W-40

Kontroller alle 10 timer, skift alle 100 timer

DIFFERENTIALE BAG
Kapacitet: 8,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 750 timer

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 100 timer

DIFFERENTIALE FOR
Kapacitet: 8,5 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 750 timer

ANVEND
Første Service

KLIMA
Moderat

PRODUKTANBEFALING 1
Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 100 timer

TEREX SPOREDE SKOVANHÆNGERE TH-844C (2005 OG EFTER)



GEAR

Kapacitet: 12,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Multifleet SCD 10W

PRODUKTANBEFALING 2

Gear Oil Alcat 10W

PRODUKTANBEFALING 3

ATF Dexron II-D

Kontroller alle 10 timer, skift alle 500 timer

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Multifleet SCD 10W

PRODUKTANBEFALING 2

Gear Oil Alcat 10W

PRODUKTANBEFALING 3

ATF Dexron II-D

Kontroller alle 10 timer, skift alle 100 timer

NAVREDUKTIONER BAG

Kapacitet: 0,9 liter (hvert)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 750 timer

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 100 timer

NAVREDUKTIONER FOR

Kapacitet: 0,9 liter (hvert)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 750 timer

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 50 timer, skift alle 100 timer

TEREX SPOREDE SKOVANHÆNGERE TH-844C (2005 OG EFTER)



HYDRAULISK SYSTEM

Kapacitet: 189 liter, Kapacitet: 129 liter (Hydrauliktank)

ANVEND

Fleksibel væskeanalyse

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 46

PRODUKTANBEFALING 2

Perlus AF 46

Kontroller alle 10 timer

KØLESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12

PRODUKTANBEFALING 3

Coolant -38 Organic NF

Kontroller alle 10 timer, skift alle 2000 timer

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.