

TOYOTA GAFFELTRUCKS, LP-GAS/BENZIN

8FGF15-J35



MOTOR

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Dieselfleet CD+ 15W-40

PRODUKTANBEFALING 2

Multifleet SHPD 15W-40

Skift alle 1 måneder/ 170 timer

DIFFERENTIALE

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 2000 timer/ 12 måneder

GEAR + MOMENTOMFORMER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

Skift alle 1000 timer/ 6 måneder

GEAR MANUEL

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-4 80W-90

PRODUKTANBEFALING 2

Unigear HS GL-3/GL-5 80W-90

Skift alle 2000 timer/ 12 måneder

TOYOTA GAFFELTRUCKS, LP-GAS/BENZIN

8FGF15-J35



HYDRAULISK SYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Perlus H 32		

Skift alle 1000 timer/ 6 måneder

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
LHM +		

Skift alle 1000 timer/ 6 måneder

HYDRAULISK BREMSESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

SERVOSTYRING

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Perlus H 32		

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
LHM +		

CENTRALT HYDRAULISK KRAFTSYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Perlus H 32		

TOYOTA GAFFELTRUCKS, LP-GAS/BENZIN

8FGF15-J35



HJULLEJER		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

HYDRAULIKPUMPEDREVENHED		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 MoS2 Grease EP 2		

KÆDER		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Industrial Chain Spray		

STYREHUS		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Gearlube GL-4 80W-90	PRODUKTANBEFALING 2 Unigear HS GL-3/GL-5 80W-90	

TELESKOPARMENHED		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 MoS2 Grease EP 2		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.