

VOLVO GUMMIHJULSLÆSSERE L L110F (2007-2011)



MOTOR Volvo D7E LBE3
Kapacitet: 21 liter

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Agrisynth LSP Ultra 10W-40

PRODUKTANBEFALING 2

Agrisynth LSP 10W-40

PRODUKTANBEFALING 3

Agridiesel MSP 15W-40

Skift alle 500 timer

DIFFERENTIALE BAG
Kapacitet: 41 liter

ANVEND
Forlænget

KLIMA
Moderat

PRODUKTANBEFALING 1

Agrifluid Synth XHP Ultra

Skift alle 2000 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Agrifluid HT-Plus

PRODUKTANBEFALING 2

Agrifluid HT

Skift alle 1000 timer

DIFFERENTIALE FOR
Kapacitet: 36 liter

ANVEND
Forlænget

KLIMA
Moderat

PRODUKTANBEFALING 1

Agrifluid Synth XHP Ultra

Skift alle 2000 timer

ANVEND
Normal

KLIMA
Moderat

PRODUKTANBEFALING 1

Agrifluid HT-Plus

PRODUKTANBEFALING 2

Agrifluid HT

Skift alle 1000 timer

VOLVO GUMMIHJULSLÆSSERE L L110F (2007-2011)



GEAR AUTOMATISK Volvo HTE 204 4/4
Kapacitet: 38 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
ATF Almirol		

Skift alle 2000 timer

NAVREDUKTIONER BAG

ANVEND	KLIMA
Forlænget	Moderat

PRODUKTANBEFALING 1		
Agrifluid Synth XHP Ultra		

Skift alle 2000 timer

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Agrifluid HT-Plus	Agrifluid HT	

Skift alle 1000 timer

NAVREDUKTIONER FOR

ANVEND	KLIMA
Forlænget	Moderat

PRODUKTANBEFALING 1		
Agrifluid Synth XHP Ultra		

Skift alle 2000 timer

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Agrifluid HT-Plus	Agrifluid HT	

Skift alle 1000 timer

VOLVO GUMMIHJULSLÆSSERE L L110F

(2007-2011)



HYDRAULISK SYSTEM

Kapacitet: 133 liter (Hydrauliktank)

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

Perlus H 46

PRODUKTANBEFALING 2

Perlus H 68*Skift alle 4000 timer*

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Perlus H 32*Skift alle 4000 timer*

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

HT Q9 High Grade Grease

PRODUKTANBEFALING 2

Labora Grease

PRODUKTANBEFALING 3

Q5 MP Calcep Grease EP 2

KØLESYSTEM

Kapacitet: 38 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12*Skift alle 48 måneder/ 6000 timer*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.