

# WACKER NEUSON TIPVOGN DHK 6002 H KUBOTA V2203



## MOTOR Kubota V2203

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Tropisk |

|                          |  |  |
|--------------------------|--|--|
| PRODUKTANBEFALING 1      |  |  |
| <b>Multifleet SCD 30</b> |  |  |

Skift alle 150 timer

| ANVEND | KLIMA            |
|--------|------------------|
| Normal | Middelhavsagtigt |

|                              |  |  |
|------------------------------|--|--|
| PRODUKTANBEFALING 1          |  |  |
| <b>Multifleet SCD 20W-20</b> |  |  |

Skift alle 150 timer

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

|                             |                             |                               |
|-----------------------------|-----------------------------|-------------------------------|
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2         | PRODUKTANBEFALING 3           |
| <b>Kroontrak MTH 10W-30</b> | <b>Synfleet SHPD 10W-40</b> | <b>Multifleet SHPD 10W-40</b> |

Skift alle 150 timer

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Arktisk |

|                           |  |  |
|---------------------------|--|--|
| PRODUKTANBEFALING 1       |  |  |
| <b>Multifleet SCD 10W</b> |  |  |

Skift alle 150 timer

| ANVEND         | KLIMA   |
|----------------|---------|
| Første Service | Tropisk |

|                          |  |  |
|--------------------------|--|--|
| PRODUKTANBEFALING 1      |  |  |
| <b>Multifleet SCD 30</b> |  |  |

Skift alle 50 timer

| ANVEND         | KLIMA            |
|----------------|------------------|
| Første Service | Middelhavsagtigt |

|                              |  |  |
|------------------------------|--|--|
| PRODUKTANBEFALING 1          |  |  |
| <b>Multifleet SCD 20W-20</b> |  |  |

Skift alle 50 timer

| ANVEND         | KLIMA   |
|----------------|---------|
| Første Service | Moderat |

|                             |                             |                               |
|-----------------------------|-----------------------------|-------------------------------|
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2         | PRODUKTANBEFALING 3           |
| <b>Kroontrak MTH 10W-30</b> | <b>Synfleet SHPD 10W-40</b> | <b>Multifleet SHPD 10W-40</b> |

Skift alle 50 timer

# WACKER NEUSON TIPVOGN DHK 6002 H KUBOTA V2203



| ANVEND                     |  | KLIMA   |
|----------------------------|--|---------|
| Første Service             |  | Arktisk |
| PRODUKTANBEFALING 1        |  |         |
| <b>Multifleet SCD 10W</b>  |  |         |
| <i>Skift alle 50 timer</i> |  |         |

| DIFFERENTIALE BAG<br>Kapacitet: 3,5 liter |                             |                     |
|-------------------------------------------|-----------------------------|---------------------|
| ANVEND                                    |                             | KLIMA               |
| Normal                                    |                             | Moderat             |
| PRODUKTANBEFALING 1                       | PRODUKTANBEFALING 2         | PRODUKTANBEFALING 3 |
| <b>Agrifluid HT-Plus</b>                  | <b>Kroontrak MTH 10W-30</b> | <b>Agrifluid HT</b> |
| <i>Skift alle 1000 timer</i>              |                             |                     |

| ANVEND                      |                             | KLIMA               |
|-----------------------------|-----------------------------|---------------------|
| Første Service              |                             | Moderat             |
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2         | PRODUKTANBEFALING 3 |
| <b>Agrifluid HT-Plus</b>    | <b>Kroontrak MTH 10W-30</b> | <b>Agrifluid HT</b> |
| <i>Skift alle 500 timer</i> |                             |                     |

| DIFFERENTIALE FOR<br>Kapacitet: 3,5 liter |                             |                     |
|-------------------------------------------|-----------------------------|---------------------|
| ANVEND                                    |                             | KLIMA               |
| Normal                                    |                             | Moderat             |
| PRODUKTANBEFALING 1                       | PRODUKTANBEFALING 2         | PRODUKTANBEFALING 3 |
| <b>Agrifluid HT-Plus</b>                  | <b>Kroontrak MTH 10W-30</b> | <b>Agrifluid HT</b> |
| <i>Skift alle 1000 timer</i>              |                             |                     |

| ANVEND                      |                             | KLIMA               |
|-----------------------------|-----------------------------|---------------------|
| Første Service              |                             | Moderat             |
| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2         | PRODUKTANBEFALING 3 |
| <b>Agrifluid HT-Plus</b>    | <b>Kroontrak MTH 10W-30</b> | <b>Agrifluid HT</b> |
| <i>Skift alle 500 timer</i> |                             |                     |



# WACKER NEUSON TIPVOGN DHK 6002 H

## KUBOTA V2203



### REDUKTIONSGEARKASSE

Kapacitet: 0,85 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Synfleet SHPD 10W-40**

PRODUKTANBEFALING 2

**Multifleet SHPD 10W-40***Skift alle 1000 timer*

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

**Synfleet SHPD 10W-40**

PRODUKTANBEFALING 2

**Multifleet SHPD 10W-40***Skift alle 500 timer*

### HYDRAULISK SYSTEM

Kapacitet: 30 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Perlus Biosynth 46**

PRODUKTANBEFALING 2

**Perlus H 46***Skift alle 1000 timer*

### HYDRAULISK BREMSESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Perlus Biosynth 46**

PRODUKTANBEFALING 2

**Perlus H 46**

### KØLESYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Coolant -38 Organic NF***Skift alle 24 måneder*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.