

XTREME TELESKOPLÆSSER XR 2450 PERKINS 1104C-44TA



MOTOR Perkins 1104C-44TA
Kapacitet: 7,6 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel MSP 15W-40	Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40

Skift alle 250 timer/ 12 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Kroontrak MTH 10W-30	Synfleet SHPD 10W-40	Armado Synth 5W-30

Skift alle 250 timer/ 12 måneder

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Agridiesel MSP 15W-40	Agridiesel CRD+ 15W-40	Dieselfleet CD+ 15W-40

Skift alle 50 timer

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Kroontrak MTH 10W-30	Synfleet SHPD 10W-40	Armado Synth 5W-30

Skift alle 50 timer

DIFFERENTIALE BAG Kessler

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 250 timer, skift alle 1000 timer

DIFFERENTIALE FOR Kessler

Kapacitet: 7,4 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Gearlube LS 80W-90		

Kontroller alle 250 timer, skift alle 1000 timer

XTREME TELESKOPLÆSSER XR 2450 PERKINS 1104C-44TA



GEAR HYDROSTATISK Dana 3

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 SP Matic 2032	PRODUKTANBEFALING 2 ATF Almirol	

Kontroller alle 250 timer, skift alle 1000 timer

NAVREDUKTIONER BAG

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Agrifluid Synth XHP Ultra	PRODUKTANBEFALING 2 Agrifluid HT-Plus	PRODUKTANBEFALING 3 Kroontrak MTH 10W-30

Kontroller alle 250 timer, skift alle 1000 timer

NAVREDUKTIONER FOR

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Agrifluid Synth XHP Ultra	PRODUKTANBEFALING 2 Agrifluid HT-Plus	PRODUKTANBEFALING 3 Kroontrak MTH 10W-30

Kontroller alle 250 timer, skift alle 1000 timer

HYDRAULISK SYSTEM HYDROSTATISK DREV

Kapacitet: 170 liter (Hydrauliktank)

ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 SP Matic 2032	PRODUKTANBEFALING 2 ATF Almirol	

Skift alle 500 timer

ANVEND Ældre enheder med klar væske		KLIMA Moderat
PRODUKTANBEFALING 1 Perlus H 46	PRODUKTANBEFALING 2 Perlus AF 46	

Skift alle 500 timer

XTREME TELESKOPLÆSSER XR 2450

PERKINS 1104C-44TA



HYDRAULISK BREMSESYSTEM

Kapacitet: 1,2 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D*Skift alle 2000 timer*

SMØREPUNKTER/NIPLER

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Labora Grease

PRODUKTANBEFALING 2

Q5 MP Calcep Grease EP 2

PRODUKTANBEFALING 3

MP Lithep Grease EP 2

KØLESYSTEM

Kapacitet: 10,4 liter (Motor kun)

ANVEND

Forlænget

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 15+

PRODUKTANBEFALING 2

Coolant SP 12*Skift alle 12000 timer/ 72 måneder*

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

PRODUKTANBEFALING 2

Coolant -26*Skift alle 24 måneder/ 4000 timer*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.