

YALE GAFFELTRUCKS, LP-GAS/BENZIN GP 25 PD



MOTOR

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
HDX 40		

Skift alle 1 måneder/ 200 timer

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
HDX 30		

Skift alle 1 måneder/ 200 timer

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
HDX 20W-20		

Skift alle 1 måneder/ 200 timer

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
HDX 10W		

Skift alle 1 måneder/ 200 timer

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1		
HDX 40		

Skift alle 50 timer/ 1 uge

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1		
HDX 30		

Skift alle 50 timer/ 1 uge

ANVEND	KLIMA
Første Service	Moderat

PRODUKTANBEFALING 1		
HDX 20W-20		

Skift alle 50 timer/ 1 uge

YALE GAFFELTRUCKS, LP-GAS/BENZIN GP 25 PD



ANVEND		KLIMA
Første Service		Arktisk
PRODUKTANBEFALING 1		
HDX 10W		
Skift alle 50 timer/ 1 uge		

DIFFERENTIALE		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-5 85W-140	Unigear LS GL-3/GL-5 85W-140	
Skift alle 12 måneder/ 2400 timer		

GEAR AUTOMATISK Yale		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
ATF Dexron II-D		
Skift alle 6 måneder/ 1200 timer		

HYDRAULISK SYSTEM		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Perlus H 32		
Skift alle 6 måneder/ 1200 timer		

HYDRAULISK BREMSESYSTEM		
ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
Drauliquid DOT 3		
Skift alle 6 måneder/ 1200 timer		



YALE GAFFELTRUCKS, LP-GAS/BENZIN GP 25 PD



SMØREPUNKTER/NIPLER		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

SMØREPUNKTER/NIPLER LEJER		
ANVEND Normal		KLIMA Moderat
PRODUKTANBEFALING 1 Labora Grease	PRODUKTANBEFALING 2 Q5 MP Calcep Grease EP 2	PRODUKTANBEFALING 3 MP Lithep Grease EP 2

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.